

PSUR260			
	Théorique	Mesuré	Ecart
V.G.	0.000	-3.570	-3.570
X	2528.800	2529.772	0.972
Y	-273.692	-274.840	-1.147
Z	1001.893	998.654	-3.238

PSUR316			
	Théorique	Mesuré	Ecart
V.G.	0.000	-2.291	-2.291
X	2516.550	2518.378	1.829
Y	-309.035	-309.012	0.022
Z	993.682	992.302	-1.380

PSUR311			
	Théorique	Mesuré	Ecart
V.G.	0.000	-5.291	-5.291
X	2504.097	2508.764	4.667
Y	-398.488	-398.607	-0.118
Z	975.045	972.554	-2.491

PSUR283			
	Théorique	Mesuré	Ecart
V.G.	0.000	-11.551	-11.551
X	2497.196	2507.725	10.529
Y	-424.400	-423.681	0.719
Z	960.250	955.556	-4.694

PSUR294			
	Théorique	Mesuré	Ecart
V.G.	0.000	-3.802	-3.802
X	2497.396	2500.888	3.492
Y	-263.649	-263.698	-0.049
Z	961.427	959.923	-1.504

PSUR289			
	Théorique	Mesuré	Ecart
V.G.	0.000	-3.164	-3.164
X	2489.474	2492.476	3.002
Y	-387.691	-387.841	-0.150
Z	936.584	935.594	-0.990



PSUR267			
	Théorique	Mesuré	Ecart
V.G.	0.000	-10.698	-10.698
X	2486.858	2487.699	0.841
Y	-243.736	-254.362	-10.626
Z	929.897	928.987	-0.910

PSUR281			
	Théorique	Mesuré	Ecart
V.G.	0.000	-4.731	-4.731
X	2481.084	2485.547	4.463
Y	-429.217	-427.973	1.244
Z	907.744	906.786	-0.958

PSUR269			
	Théorique	Mesuré	Ecart
V.G.	0.000	-1.402	-1.402
X	2488.688	2489.173	0.485
Y	-254.797	-255.212	-0.415
Z	885.895	887.144	1.249

PSUR272			
	Théorique	Mesuré	Ecart
V.G.	0.000	-6.158	-6.158
X	2489.947	2491.662	1.715
Y	-305.920	-306.237	-0.317
Z	878.367	884.273	5.906

PSUR278			
	Théorique	Mesuré	Ecart
V.G.	0.000	-3.241	-3.241
X	2494.100	2494.634	0.533
Y	-395.905	-395.547	0.358
Z	879.215	882.391	3.176



DEFINITION NUMERIQUE : L0352563AA08 (lateral).su2
 REFERENCE PIECE : HR B12L OUTER VINYL BLACK
 PN : L0352565AA10
 N° CLASSEMENT : B12L

OPERATEUR : LAHCEN
 CLIENT : LMT
 DATE : 19/11/14 13:10:45
 RESULTAT : AVOIR



PSUR227			
	Théorique	Mesuré	Ecart
V.G.	0.000	1.468	1.468
X	2603.077	2603.006	-0.071
Y	-264.830	-264.583	0.247
Z	909.153	907.708	-1.445

PSUR226			
	Théorique	Mesuré	Ecart
V.G.	0.000	0.790	0.790
X	2578.326	2578.289	-0.037
Y	-259.318	-259.203	0.115
Z	911.219	910.438	-0.781


PSUR249			
	Théorique	Mesuré	Ecart
V.G.	0.000	0.123	0.123
X	2612.913	2612.908	-0.005
Y	-290.151	-290.150	0.001
Z	907.900	907.777	-0.123

PSUR246			
	Théorique	Mesuré	Ecart
V.G.	0.000	-0.660	-0.660
X	2614.590	2614.612	0.021
Y	-326.846	-326.847	-0.001
Z	907.733	908.393	0.660

PSUR218			
	Théorique	Mesuré	Ecart
V.G.	0.000	-0.404	-0.404
X	2592.691	2592.726	0.035
Y	-339.088	-339.088	0.000
Z	909.766	910.169	0.403

PSUR241			
	Théorique	Mesuré	Ecart
V.G.	0.000	0.622	0.622
X	2616.435	2616.512	0.077
Y	-390.243	-390.253	-0.010
Z	908.025	907.408	-0.617

PSUR238			
	Théorique	Mesuré	Ecart
V.G.	0.000	0.774	0.774
X	2601.975	2601.901	-0.074
Y	-409.245	-409.245	-0.000
Z	908.916	908.146	-0.771



DEFINITION NUMERIQUE : L0352563AA08 (lateral).su2
 REFERENCE PIECE : HR B12L OUTER VINYL BLACK
 PN : L0352565AA10
 N° CLASSEMENT : B12L

OPERATEUR : LAHCEN
 CLIENT : LMT
 DATE : 19/11/14 13:11:22
 RESULTAT : AVOIR



PSUR54			
	Théorique	Mesuré	Ecart
V.G.	0.000	-1.935	-1.935
X	2576.598	2576.081	-0.516
Y	-256.024	-257.771	-1.746
Z	969.974	969.319	-0.655

PSUR56			
	Théorique	Mesuré	Ecart
V.G.	0.000	-1.911	-1.911
X	2580.274	2579.606	-0.668
Y	-270.454	-271.597	-1.143
Z	988.857	987.478	-1.379

PSUR16			
	Théorique	Mesuré	Ecart
V.G.	0.000	-1.034	-1.034
X	2530.681	2530.622	-0.059
Y	-254.524	-255.421	-0.897
Z	985.403	984.893	-0.511



PSUR62			
	Théorique	Mesuré	Ecart
V.G.	0.000	-1.580	-1.580
X	2612.511	2611.930	-0.580
Y	-258.961	-260.409	-1.448
Z	932.675	932.429	-0.246

PSUR17			
	Théorique	Mesuré	Ecart
V.G.	0.000	-2.744	-2.744
X	2521.611	2521.597	-0.015
Y	-250.355	-252.948	-2.593
Z	976.777	975.882	-0.895

PSUR30			
	Théorique	Mesuré	Ecart
V.G.	0.000	-0.062	-0.062
X	2601.497	2601.480	-0.017
Y	-254.508	-254.568	-0.060
Z	924.232	924.228	-0.004

PSUR21			
	Théorique	Mesuré	Ecart
V.G.	0.000	0.010	0.010
X	2514.015	2514.015	0.000
Y	-243.016	-243.006	0.010
Z	933.612	933.613	0.001

PSUR50			
	Théorique	Mesuré	Ecart
V.G.	0.000	0.446	0.446
X	2544.491	2544.533	0.042
Y	-244.129	-243.685	0.444
Z	924.205	924.214	0.009



DEFINITION NUMERIQUE : L0352563AA08 (lateral).su2
 REFERENCE PIECE : HR B12L OUTER VINYL BLACK
 PN : L0352565AA10
 N° CLASSEMENT : B12L

OPERATEUR : LAHCEN
 CLIENT : LMT
 DATE : 19/11/14 13:13:25
 RESULTAT : AVOIR



PSUR196			
	Théorique	Mesuré	Ecart
V.G.	0.000	-3.030	-3.030
X	2532.444	2532.241	-0.203
Y	-423.983	-421.449	2.533
Z	987.644	985.994	-1.649

PSUR72			
	Théorique	Mesuré	Ecart
V.G.	0.000	-1.940	-1.940
X	2585.410	2584.712	-0.698
Y	-415.477	-414.021	1.456
Z	979.684	978.608	-1.076

PSUR143			
	Théorique	Mesuré	Ecart
V.G.	0.000	-0.140	-0.140
X	2593.991	2593.900	-0.091
Y	-332.772	-332.774	-0.001
Z	991.678	991.572	-0.106

PSUR182			
	Théorique	Mesuré	Ecart
V.G.	0.000	-5.325	-5.325
X	2507.237	2507.516	0.279
Y	-434.946	-429.693	5.253
Z	951.371	950.543	-0.828

PSUR99			
	Théorique	Mesuré	Ecart
V.G.	0.000	-4.256	-4.256
X	2616.890	2613.061	-3.829
Y	-272.546	-273.322	-0.776
Z	950.860	949.171	-1.689


PSUR179			
	Théorique	Mesuré	Ecart
V.G.	0.000	-4.739	-4.739
X	2491.052	2492.606	1.554
Y	-436.351	-431.909	4.442
Z	920.356	919.803	-0.553

PSUR114			
	Théorique	Mesuré	Ecart
V.G.	0.000	-1.039	-1.039
X	2627.262	2626.239	-1.024
Y	-331.542	-331.551	-0.010
Z	927.811	927.632	-0.179

PSUR201			
	Théorique	Mesuré	Ecart
V.G.	0.000	-2.773	-2.773
X	2500.063	2500.088	0.025
Y	-437.598	-434.826	2.772
Z	904.925	904.977	0.051

PSUR165			
	Théorique	Mesuré	Ecart
V.G.	0.000	1.224	1.224
X	2553.468	2553.614	0.146
Y	-434.733	-435.948	-1.214
Z	929.896	929.948	0.052

PSUR110			
	Théorique	Mesuré	Ecart
V.G.	0.000	0.408	0.408
X	2625.454	2625.853	0.399
Y	-390.254	-390.283	-0.029
Z	928.860	928.939	0.079



DEFINITION NUMERIQUE : L0352563AA08 (lateral).su2
 REFERENCE PIECE : HR B12L OUTER VINYL BLACK
 PN : L0352565AA10
 N° CLASSEMENT : B12L

OPERATEUR : LAHCEN
 CLIENT : LMT
 DATE : 19/11/14 13:14:05
 RESULTAT : AVOIR



Référence pièce : HR B12L OUTER VINYL BLACK
 Définition numérique : L0352563AA08 (lateral).su2
 PN : L0352565AA10
 Moule / Poste : B12L OUTER
 N° Classement : B12L
 Opérateur : LAHCEN
 Client : LMT
 Date : 19-11-2014 13:01:38
 Resultat : AVOIR

RÉSULTATS

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR1	Pt. Surf. [H] sur Surface .					
	V.G.	0.000	0.062	-3.000	3.000	0.062
	X	2522.253	2522.210			-0.043
	Y	-395.350	-395.353			-0.003
	Z	999.754	999.799			0.045
PSUR2	Pt. Surf. [F] sur Surface .					
	V.G.	0.000	0.056	-3.000	3.000	0.056
	X	2520.486	2520.446			-0.040
	Y	-279.411	-279.408			0.003
	Z	997.633	997.672			0.039
PSUR3	Pt. Surf. [F] sur Surface .					
	V.G.	0.000	0.043	-3.000	3.000	0.043
	X	2478.659	2478.616			-0.043
	Y	-327.851	-327.851			-0.000
	Z	896.978	896.986			0.008
PSUR4	Pt. Surf. [H] sur Surface .					
	V.G.	0.000	0.033	-3.000	3.000	0.033
	X	2564.355	2564.363			0.008
	Y	-279.952	-279.941			0.011
	Z	1000.048	1000.079			0.030
PSUR5	Pt. Surf. [H] sur Surface .					
	V.G.	0.000	0.024	-3.000	3.000	0.024
	X	2568.872	2568.878			0.007
	Y	-398.408	-398.415			-0.007
	Z	999.304	999.326			0.022
PSUR6	Pt. Surf. [I] sur Surface .					
	V.G.	0.000	0.023	-3.000	3.000	0.023
	X	2544.284	2544.286			0.002
	Y	-246.179	-246.156			0.023
	Z	951.315	951.318			0.003

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR7	Pt. Surf. [O] sur Surface @144-3201.						
	V.G.	0.000	-1.237	-3.000	3.000	-1.237	
	X	2612.510	2612.100	-3.000	3.000	-0.410	
	Y	-258.230	-259.387	-3.000	3.000	-1.158	
	Z	927.784	927.633	-3.000	3.000	-0.151	
PSUR8	Pt. Surf. [O] sur Surface @128-2641.						
	V.G.	0.000	-2.571	-3.000	3.000	-2.571	
	X	2608.376	2607.479	-3.000	3.000	-0.897	
	Y	-258.945	-261.305	-3.000	3.000	-2.360	
	Z	941.137	940.651	-3.000	3.000	-0.487	
PSUR9	Pt. Surf. [O] sur Surface @144-2913.						
	V.G.	0.000	-4.274	-3.000	3.000	-4.274	-1.274
	X	2606.659	2605.015	-3.000	3.000	-1.645	
	Y	-260.372	-264.165	-3.000	3.000	-3.793	-0.793
	Z	949.870	948.787	-3.000	3.000	-1.084	
PSUR12	Pt. Surf. [L] sur Surface @144-939.						
	V.G.	0.000	-2.356	-3.000	3.000	-2.356	
	X	2570.685	2569.839	-3.000	3.000	-0.846	
	Y	-266.038	-267.362	-3.000	3.000	-1.324	
	Z	990.208	988.453	-3.000	3.000	-1.756	
PSUR13	Pt. Surf. [O] sur Surface @144-2913.						
	V.G.	0.000	-3.299	-3.000	3.000	-3.299	-0.299
	X	2562.172	2560.937	-3.000	3.000	-1.236	
	Y	-262.884	-265.122	-3.000	3.000	-2.239	
	Z	992.123	990.039	-3.000	3.000	-2.084	
PSUR14	Pt. Surf. [O] sur Surface @128-1415.						
	V.G.	0.000	-0.614	-3.000	3.000	-0.614	
	X	2546.858	2546.808	-3.000	3.000	-0.050	
	Y	-261.413	-261.857	-3.000	3.000	-0.444	
	Z	992.682	992.260	-3.000	3.000	-0.422	
PSUR15	Pt. Surf. [H] sur Surface @128-3843.						
	V.G.	0.000	0.280	-3.000	3.000	0.280	
	X	2532.478	2532.496	-3.000	3.000	0.017	
	Y	-261.117	-260.930	-3.000	3.000	0.186	
	Z	994.192	994.401	-3.000	3.000	0.208	
PSUR16	Pt. Surf. [O] sur Surface @144-2419.						
	V.G.	0.000	-1.034	-3.000	3.000	-1.034	
	X	2530.681	2530.622	-3.000	3.000	-0.059	
	Y	-254.524	-255.421	-3.000	3.000	-0.897	
	Z	985.403	984.893	-3.000	3.000	-0.511	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR17	Pt. Surf. [O] sur Surface @128-1415.					
	V.G.	0.000	-2.744	-3.000	3.000	-2.744
	X	2521.611	2521.597	-3.000	3.000	-0.015
	Y	-250.355	-252.948	-3.000	3.000	-2.593
	Z	976.777	975.882	-3.000	3.000	-0.895
PSUR18	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-2.151	-3.000	3.000	-2.151
	X	2520.112	2520.099	-3.000	3.000	-0.013
	Y	-247.993	-250.090	-3.000	3.000	-2.097
	Z	968.239	967.762	-3.000	3.000	-0.477
PSUR19	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-1.227	-3.000	3.000	-1.227
	X	2518.401	2518.398	-3.000	3.000	-0.003
	Y	-246.131	-247.339	-3.000	3.000	-1.208
	Z	959.125	958.908	-3.000	3.000	-0.217
PSUR20	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-0.373	-3.000	3.000	-0.373
	X	2516.326	2516.326	-3.000	3.000	-0.000
	Y	-244.314	-244.684	-3.000	3.000	-0.370
	Z	947.119	947.073	-3.000	3.000	-0.046
PSUR21	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.010	-3.000	3.000	0.010
	X	2514.015	2514.015	-3.000	3.000	0.000
	Y	-243.016	-243.006	-3.000	3.000	0.010
	Z	933.612	933.613	-3.000	3.000	0.001
PSUR22	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-0.069	-3.000	3.000	-0.069
	X	2512.170	2512.170	-3.000	3.000	-0.000
	Y	-242.470	-242.539	-3.000	3.000	-0.069
	Z	922.669	922.667	-3.000	3.000	-0.002
PSUR23	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-0.296	-3.000	3.000	-0.296
	X	2510.451	2510.448	-3.000	3.000	-0.003
	Y	-242.325	-242.621	-3.000	3.000	-0.296
	Z	912.329	912.330	-3.000	3.000	0.001
PSUR24	Pt. Surf. [O] sur Surface @144-2887.					
	V.G.	0.000	-1.791	-3.000	3.000	-1.791
	X	2508.432	2508.404	-3.000	3.000	-0.028
	Y	-242.599	-244.389	-3.000	3.000	-1.789
	Z	899.465	899.541	-3.000	3.000	0.076

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR25	Pt. Surf. [O] sur Surface @144-1257.						
	V.G.	0.000	-0.901	-3.000	3.000	-0.901	
	X	2523.866	2523.825	-3.000	3.000	-0.040	
	Y	-242.707	-243.607	-3.000	3.000	-0.900	
	Z	911.405	911.419	-3.000	3.000	0.014	
PSUR26	Pt. Surf. [O] sur Surface @144-1257.						
	V.G.	0.000	-0.275	-3.000	3.000	-0.275	
	X	2532.588	2532.571	-3.000	3.000	-0.017	
	Y	-243.129	-243.403	-3.000	3.000	-0.274	
	Z	917.777	917.776	-3.000	3.000	-0.000	
PSUR27	Pt. Surf. [I] sur Surface @128-2153.						
	V.G.	0.000	0.542	-3.000	3.000	0.542	
	X	2547.587	2547.643	-3.000	3.000	0.056	
	Y	-244.441	-243.901	-3.000	3.000	0.539	
	Z	924.527	924.539	-3.000	3.000	0.011	
PSUR28	Pt. Surf. [O] sur Surface @144-1839.						
	V.G.	0.000	-0.530	-3.000	3.000	-0.530	
	X	2566.806	2566.724	-3.000	3.000	-0.082	
	Y	-247.078	-247.599	-3.000	3.000	-0.522	
	Z	923.108	923.150	-3.000	3.000	0.042	
PSUR29	Pt. Surf. [O] sur Surface @144-2753.						
	V.G.	0.000	-0.103	-3.000	3.000	-0.103	
	X	2588.196	2588.173	-3.000	3.000	-0.022	
	Y	-251.142	-251.242	-3.000	3.000	-0.100	
	Z	922.266	922.270	-3.000	3.000	0.005	
PSUR30	Pt. Surf. [O] sur Surface @144-2753.						
	V.G.	0.000	-0.062	-3.000	3.000	-0.062	
	X	2601.497	2601.480	-3.000	3.000	-0.017	
	Y	-254.508	-254.568	-3.000	3.000	-0.060	
	Z	924.232	924.228	-3.000	3.000	-0.004	
PSUR31	Pt. Surf. [O] sur Surface @144-1257.						
	V.G.	0.000	-0.721	-3.000	3.000	-0.721	
	X	2608.708	2608.485	-3.000	3.000	-0.224	
	Y	-257.354	-258.034	-3.000	3.000	-0.680	
	Z	930.874	930.784	-3.000	3.000	-0.089	
PSUR32	Pt. Surf. [I] sur Surface @144-1257.						
	V.G.	0.000	0.213	-3.000	3.000	0.213	
	X	2596.193	2596.250	-3.000	3.000	0.057	
	Y	-253.795	-253.591	-3.000	3.000	0.204	
	Z	933.068	933.089	-3.000	3.000	0.021	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR33	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.643	-3.000	3.000	0.643
	X	2582.411	2582.552	-3.000	3.000	0.141
	Y	-250.518	-249.894	-3.000	3.000	0.625
	Z	935.232	935.288	-3.000	3.000	0.056
PSUR34	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.755	-3.000	3.000	0.755
	X	2555.551	2555.648	-3.000	3.000	0.097
	Y	-246.140	-245.393	-3.000	3.000	0.747
	Z	939.549	939.612	-3.000	3.000	0.064
PSUR35	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.348	-3.000	3.000	0.348
	X	2539.282	2539.309	-3.000	3.000	0.027
	Y	-244.697	-244.352	-3.000	3.000	0.346
	Z	942.225	942.257	-3.000	3.000	0.033
PSUR36	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.051	-3.000	3.000	0.051
	X	2523.369	2523.370	-3.000	3.000	0.001
	Y	-244.143	-244.092	-3.000	3.000	0.051
	Z	944.833	944.839	-3.000	3.000	0.006
PSUR37	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-2.435	-3.000	3.000	-2.435
	X	2581.117	2580.276	-3.000	3.000	-0.841
	Y	-266.305	-268.003	-3.000	3.000	-1.698
	Z	984.433	982.903	-3.000	3.000	-1.529
PSUR38	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-2.537	-3.000	3.000	-2.537
	X	2580.200	2579.376	-3.000	3.000	-0.824
	Y	-262.206	-264.200	-3.000	3.000	-1.994
	Z	979.688	978.354	-3.000	3.000	-1.335
PSUR39	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-2.349	-3.000	3.000	-2.349
	X	2579.008	2578.314	-3.000	3.000	-0.694
	Y	-258.366	-260.392	-3.000	3.000	-2.027
	Z	973.695	972.732	-3.000	3.000	-0.963
PSUR40	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-0.790	-3.000	3.000	-0.790
	X	2575.897	2575.717	-3.000	3.000	-0.181
	Y	-252.540	-253.290	-3.000	3.000	-0.751
	Z	958.480	958.312	-3.000	3.000	-0.168

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR41	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.526	-3.000	3.000	0.526
	X	2572.919	2573.020	-3.000	3.000	0.101
	Y	-249.277	-248.764	-3.000	3.000	0.513
	Z	942.761	942.820	-3.000	3.000	0.059
PSUR42	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.680	-3.000	3.000	0.680
	X	2570.600	2570.717	-3.000	3.000	0.117
	Y	-247.755	-247.086	-3.000	3.000	0.669
	Z	929.131	929.163	-3.000	3.000	0.032
PSUR43	Pt. Surf. [I] sur Surface @144-1839.					
	V.G.	0.000	0.287	-3.000	3.000	0.287
	X	2570.222	2570.271	-3.000	3.000	0.048
	Y	-247.579	-247.296	-3.000	3.000	0.283
	Z	926.397	926.405	-3.000	3.000	0.008
PSUR44	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-1.135	-3.000	3.000	-1.135
	X	2556.385	2556.155	-3.000	3.000	-0.230
	Y	-262.358	-263.181	-3.000	3.000	-0.823
	Z	990.600	989.852	-3.000	3.000	-0.748
PSUR45	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-1.548	-3.000	3.000	-1.548
	X	2555.190	2554.904	-3.000	3.000	-0.287
	Y	-257.327	-258.621	-3.000	3.000	-1.294
	Z	984.295	983.496	-3.000	3.000	-0.800
PSUR46	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-1.509	-3.000	3.000	-1.509
	X	2553.663	2553.422	-3.000	3.000	-0.241
	Y	-253.008	-254.398	-3.000	3.000	-1.390
	Z	976.131	975.595	-3.000	3.000	-0.536
PSUR47	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-0.730	-3.000	3.000	-0.730
	X	2551.310	2551.217	-3.000	3.000	-0.093
	Y	-249.078	-249.786	-3.000	3.000	-0.708
	Z	963.416	963.264	-3.000	3.000	-0.152
PSUR48	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.189	-3.000	3.000	0.189
	X	2548.716	2548.736	-3.000	3.000	0.021
	Y	-246.329	-246.142	-3.000	3.000	0.186
	Z	949.029	949.053	-3.000	3.000	0.024

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR49	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.725	-3.000	3.000	0.725
	X	2546.393	2546.465	-3.000	3.000	0.071
	Y	-244.807	-244.087	-3.000	3.000	0.720
	Z	935.742	935.790	-3.000	3.000	0.048
PSUR50	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.446	-3.000	3.000	0.446
	X	2544.491	2544.533	-3.000	3.000	0.042
	Y	-244.129	-243.685	-3.000	3.000	0.444
	Z	924.205	924.214	-3.000	3.000	0.009
PSUR51	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.820	-3.000	3.000	0.820
	X	2570.534	2570.679	-3.000	3.000	0.145
	Y	-248.180	-247.375	-3.000	3.000	0.805
	Z	936.085	936.149	-3.000	3.000	0.063
PSUR52	Pt. Surf. [I] sur Surface @144-1257.					
	V.G.	0.000	0.112	-3.000	3.000	0.112
	X	2572.372	2572.394	-3.000	3.000	0.022
	Y	-249.905	-249.797	-3.000	3.000	0.108
	Z	948.382	948.398	-3.000	3.000	0.016
PSUR53	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-0.667	-3.000	3.000	-0.667
	X	2574.117	2573.971	-3.000	3.000	-0.146
	Y	-251.932	-252.568	-3.000	3.000	-0.636
	Z	957.614	957.478	-3.000	3.000	-0.135
PSUR54	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-1.935	-3.000	3.000	-1.935
	X	2576.598	2576.081	-3.000	3.000	-0.516
	Y	-256.024	-257.771	-3.000	3.000	-1.746
	Z	969.974	969.319	-3.000	3.000	-0.655
PSUR55	Pt. Surf. [O] sur Surface @144-2419.					
	V.G.	0.000	-2.471	-3.000	3.000	-2.471
	X	2578.814	2578.023	-3.000	3.000	-0.791
	Y	-262.546	-264.459	-3.000	3.000	-1.914
	Z	981.019	979.671	-3.000	3.000	-1.347
PSUR56	Pt. Surf. [L] sur Surface @144-2419.					
	V.G.	0.000	-1.911	-3.000	3.000	-1.911
	X	2580.274	2579.606	-3.000	3.000	-0.668
	Y	-270.454	-271.597	-3.000	3.000	-1.143
	Z	988.857	987.478	-3.000	3.000	-1.379

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR57	Pt. Surf. [H] sur Surface @144-241.						
	V.G.	0.000	0.436	-3.000	3.000	0.436	
	X	2576.680	2576.818	-3.000	3.000	0.138	
	Y	-289.706	-289.639	-3.000	3.000	0.068	
	Z	998.770	999.177	-3.000	3.000	0.408	
PSUR58	Pt. Surf. [H] sur Surface @144-2419.						
	V.G.	0.000	1.058	-3.000	3.000	1.058	
	X	2555.981	2556.184	-3.000	3.000	0.204	
	Y	-285.371	-285.167	-3.000	3.000	0.204	
	Z	1003.490	1004.508	-3.000	3.000	1.018	
PSUR59	Pt. Surf. [H] sur Surface @128-3843.						
	V.G.	0.000	1.544	-3.000	3.000	1.544	
	X	2540.904	2541.068	-3.000	3.000	0.164	
	Y	-284.962	-284.676	-3.000	3.000	0.285	
	Z	1005.735	1007.243	-3.000	3.000	1.508	
PSUR60	Pt. Surf. [L] sur Surface @144-2419.						
	V.G.	0.000	-0.414	-3.000	3.000	-0.414	
	X	2571.172	2571.050	-3.000	3.000	-0.122	
	Y	-276.996	-277.166	-3.000	3.000	-0.170	
	Z	996.740	996.382	-3.000	3.000	-0.358	
PSUR61	Pt. Surf. [H] sur Surface @144-2419.						
	V.G.	0.000	0.708	-3.000	3.000	0.708	
	X	2553.417	2553.548	-3.000	3.000	0.131	
	Y	-276.988	-276.728	-3.000	3.000	0.260	
	Z	1001.535	1002.180	-3.000	3.000	0.646	
PSUR62	Pt. Surf. [O] sur Surface @128-2641.						
	V.G.	0.000	-1.580	-3.000	3.000	-1.580	
	X	2612.511	2611.930	-3.000	3.000	-0.580	
	Y	-258.961	-260.409	-3.000	3.000	-1.448	
	Z	932.675	932.429	-3.000	3.000	-0.246	
PSUR63	Pt. Surf. [O] sur Surface @128-2641.						
	V.G.	0.000	-2.794	-3.000	3.000	-2.794	
	X	2607.511	2606.536	-3.000	3.000	-0.975	
	Y	-258.992	-261.552	-3.000	3.000	-2.560	
	Z	942.923	942.370	-3.000	3.000	-0.553	
PSUR64	Pt. Surf. [O] sur Surface @144-2913.						
	V.G.	0.000	-4.440	-3.000	3.000	-4.440	-1.440
	X	2609.175	2607.280	-3.000	3.000	-1.895	
	Y	-260.988	-264.813	-3.000	3.000	-3.825	-0.825
	Z	948.091	946.869	-3.000	3.000	-1.222	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR65	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-2.262	-3.000	3.000	-2.262
	X	2605.012	2604.256	-3.000	3.000	-0.755
	Y	-258.145	-260.233	-3.000	3.000	-2.089
	Z	943.285	942.857	-3.000	3.000	-0.428
PSUR66	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-0.395	-3.000	3.000	-0.395
	X	2602.227	2602.110	-3.000	3.000	-0.117
	Y	-255.812	-256.185	-3.000	3.000	-0.374
	Z	934.972	934.922	-3.000	3.000	-0.050
PSUR67	Pt. Surf. [O] sur Surface @144-1257.					
	V.G.	0.000	-2.390	-3.000	3.000	-2.390
	X	2598.295	2597.521	-3.000	3.000	-0.774
	Y	-257.367	-259.566	-3.000	3.000	-2.200
	Z	950.637	950.115	-3.000	3.000	-0.522
PSUR68	Pt. Surf. [L] sur Surface @144-2753.					
	V.G.	0.000	2.048	-3.000	3.000	2.048
	X	2603.752	2603.901	-3.000	3.000	0.149
	Y	-259.888	-258.757	-3.000	3.000	1.132
	Z	911.016	909.316	-3.000	3.000	-1.700
PSUR69	Pt. Surf. [L] sur Surface @144-2753.					
	V.G.	0.000	2.040	-3.000	3.000	2.040
	X	2599.274	2599.377	-3.000	3.000	0.103
	Y	-259.318	-258.308	-3.000	3.000	1.010
	Z	911.044	909.274	-3.000	3.000	-1.770
PSUR70	Pt. Surf. [L] sur Surface @144-2753.					
	V.G.	0.000	1.433	-3.000	3.000	1.433
	X	2588.397	2588.396	-3.000	3.000	-0.001
	Y	-258.519	-258.036	-3.000	3.000	0.483
	Z	911.133	909.784	-3.000	3.000	-1.349
PSUR71	Pt. Surf. [L] sur Surface @144-2753.					
	V.G.	0.000	0.365	-3.000	3.000	0.365
	X	2578.878	2578.881	-3.000	3.000	0.004
	Y	-255.680	-255.533	-3.000	3.000	0.147
	Z	912.209	911.875	-3.000	3.000	-0.335
PSUR72	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.940	-3.000	3.000	-1.940
	X	2585.410	2584.712	-3.000	3.000	-0.698
	Y	-415.477	-414.021	-3.000	3.000	1.456
	Z	979.684	978.608	-3.000	3.000	-1.076

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR73	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.257	-3.000	3.000	-1.257
	X	2583.266	2582.901	-3.000	3.000	-0.365
	Y	-423.468	-422.328	-3.000	3.000	1.140
	Z	965.633	965.247	-3.000	3.000	-0.386
PSUR74	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.161	-3.000	3.000	0.161
	X	2580.308	2580.345	-3.000	3.000	0.037
	Y	-428.432	-428.587	-3.000	3.000	-0.155
	Z	947.799	947.823	-3.000	3.000	0.024
PSUR75	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.832	-3.000	3.000	0.832
	X	2578.273	2578.443	-3.000	3.000	0.170
	Y	-430.363	-431.175	-3.000	3.000	-0.812
	Z	935.446	935.514	-3.000	3.000	0.068
PSUR76	Pt. Surf. [I] sur Surface @144-3975.					
	V.G.	0.000	-1.260	-3.000	3.000	-1.260
	X	2575.523	2575.361	-3.000	3.000	-0.162
	Y	-429.943	-428.840	-3.000	3.000	1.104
	Z	917.035	917.620	-3.000	3.000	0.585
PSUR77	Pt. Surf. [O] sur Surface @144-3975.					
	V.G.	0.000	0.102	-3.000	3.000	0.102
	X	2584.098	2584.118	-3.000	3.000	0.020
	Y	-429.651	-429.750	-3.000	3.000	-0.099
	Z	921.231	921.219	-3.000	3.000	-0.011
PSUR78	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.676	-3.000	3.000	0.676
	X	2586.633	2586.795	-3.000	3.000	0.162
	Y	-428.245	-428.897	-3.000	3.000	-0.652
	Z	937.631	937.702	-3.000	3.000	0.071
PSUR79	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-0.237	-3.000	3.000	-0.237
	X	2589.055	2588.988	-3.000	3.000	-0.066
	Y	-425.268	-425.046	-3.000	3.000	0.222
	Z	952.270	952.222	-3.000	3.000	-0.048
PSUR80	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.814	-3.000	3.000	-1.814
	X	2591.962	2591.304	-3.000	3.000	-0.659
	Y	-418.633	-417.116	-3.000	3.000	1.517
	Z	969.507	968.763	-3.000	3.000	-0.744

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR81	Pt. Surf. [I] sur Surface @144-2179.					
	V.G.	0.000	-2.423	-3.000	3.000	-2.423
	X	2593.386	2592.366	-3.000	3.000	-1.019
	Y	-412.051	-410.367	-3.000	3.000	1.683
	Z	978.634	977.220	-3.000	3.000	-1.414
PSUR82	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-2.304	-3.000	3.000	-2.304
	X	2605.148	2604.225	-3.000	3.000	-0.923
	Y	-417.389	-415.425	-3.000	3.000	1.964
	Z	958.713	957.939	-3.000	3.000	-0.774
PSUR83	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-0.154	-3.000	3.000	-0.154
	X	2602.694	2602.643	-3.000	3.000	-0.051
	Y	-422.063	-421.921	-3.000	3.000	0.141
	Z	946.258	946.227	-3.000	3.000	-0.031
PSUR84	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.663	-3.000	3.000	0.663
	X	2600.622	2600.812	-3.000	3.000	0.191
	Y	-424.828	-425.458	-3.000	3.000	-0.630
	Z	933.834	933.911	-3.000	3.000	0.077
PSUR85	Pt. Surf. [I] sur Surface @144-3975.					
	V.G.	0.000	-0.091	-3.000	3.000	-0.091
	X	2598.010	2597.991	-3.000	3.000	-0.019
	Y	-425.681	-425.598	-3.000	3.000	0.084
	Z	916.843	916.872	-3.000	3.000	0.029
PSUR86	Pt. Surf. [O] sur Surface @144-3255.					
	V.G.	0.000	0.417	-3.000	3.000	0.417
	X	2610.080	2610.204	-3.000	3.000	0.124
	Y	-423.030	-423.427	-3.000	3.000	-0.397
	Z	923.407	923.438	-3.000	3.000	0.031
PSUR87	Pt. Surf. [O] sur Surface @144-1283.					
	V.G.	0.000	0.167	-3.000	3.000	0.167
	X	2611.783	2611.844	-3.000	3.000	0.061
	Y	-421.021	-421.173	-3.000	3.000	-0.153
	Z	934.447	934.474	-3.000	3.000	0.027
PSUR88	Pt. Surf. [I] sur Surface @144-2179.					
	V.G.	0.000	-1.343	-3.000	3.000	-1.343
	X	2613.547	2612.849	-3.000	3.000	-0.698
	Y	-418.206	-417.140	-3.000	3.000	1.066
	Z	943.582	943.157	-3.000	3.000	-0.425

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR89	Pt. Surf. [I] sur Surface @144-2179.					
	V.G.	0.000	-1.184	-3.000	3.000	-1.184
	X	2609.892	2609.353	-3.000	3.000	-0.539
	Y	-418.520	-417.523	-3.000	3.000	0.998
	Z	948.488	948.146	-3.000	3.000	-0.342
PSUR90	Pt. Surf. [I] sur Surface @144-1283.					
	V.G.	0.000	-1.845	-3.000	3.000	-1.845
	X	2608.312	2607.455	-3.000	3.000	-0.857
	Y	-417.843	-416.297	-3.000	3.000	1.546
	Z	952.983	952.452	-3.000	3.000	-0.531
PSUR91	Pt. Surf. [F] sur Surface @144-913.					
	V.G.	0.000	-0.735	-3.000	3.000	-0.735
	X	2609.242	2608.613	-3.000	3.000	-0.629
	Y	-401.750	-401.665	-3.000	3.000	0.085
	Z	967.946	967.576	-3.000	3.000	-0.371
PSUR92	Pt. Surf. [F] sur Surface @144-2179.					
	V.G.	0.000	-0.709	-3.000	3.000	-0.709
	X	2609.283	2608.722	-3.000	3.000	-0.561
	Y	-379.710	-379.638	-3.000	3.000	0.073
	Z	972.932	972.506	-3.000	3.000	-0.427
PSUR93	Pt. Surf. [F] sur Surface @144-2095.					
	V.G.	0.000	-0.817	-3.000	3.000	-0.817
	X	2608.740	2608.059	-3.000	3.000	-0.681
	Y	-357.947	-357.947	-3.000	3.000	0.000
	Z	974.747	974.296	-3.000	3.000	-0.451
PSUR94	Pt. Surf. [F] sur Surface @144-2095.					
	V.G.	0.000	-0.726	-3.000	3.000	-0.726
	X	2608.199	2607.597	-3.000	3.000	-0.602
	Y	-342.245	-342.245	-3.000	3.000	0.000
	Z	975.557	975.151	-3.000	3.000	-0.407
PSUR95	Pt. Surf. [F] sur Surface @144-913.					
	V.G.	0.000	-1.337	-3.000	3.000	-1.337
	X	2607.840	2606.737	-3.000	3.000	-1.103
	Y	-319.302	-319.302	-3.000	3.000	-0.000
	Z	976.085	975.329	-3.000	3.000	-0.756
PSUR96	Pt. Surf. [F] sur Surface @144-2913.					
	V.G.	0.000	-2.530	-3.000	3.000	-2.530
	X	2607.648	2605.690	-3.000	3.000	-1.958
	Y	-297.816	-298.066	-3.000	3.000	-0.250
	Z	974.924	973.341	-3.000	3.000	-1.583

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR97	Pt. Surf. [B] sur Surface @144-4477.						
	V.G.	0.000	28.808	-3.000	3.000	28.808	25.808
	X	2581.541	2604.316	-3.000	3.000	22.775	19.775
	Y	-284.641	-283.013	-3.000	3.000	1.628	
	Z	951.245	968.810	-3.000	3.000	17.565	14.565
PSUR98	Pt. Surf. [F] sur Surface @144-2095.						
	V.G.	0.000	-6.475	-3.000	3.000	-6.475	-3.475
	X	2608.784	2603.258	-3.000	3.000	-5.525	-2.525
	Y	-275.920	-276.705	-3.000	3.000	-0.784	
	Z	968.177	964.893	-3.000	3.000	-3.283	-0.283
PSUR99	Pt. Surf. [F] sur Surface @144-2913.						
	V.G.	0.000	-4.256	-3.000	3.000	-4.256	-1.256
	X	2616.890	2613.061	-3.000	3.000	-3.829	-0.829
	Y	-272.546	-273.322	-3.000	3.000	-0.776	
	Z	950.860	949.171	-3.000	3.000	-1.689	
PSUR100	Pt. Surf. [F] sur Surface @144-2913.						
	V.G.	0.000	-2.520	-3.000	3.000	-2.520	
	X	2616.765	2614.491	-3.000	3.000	-2.274	
	Y	-286.174	-286.464	-3.000	3.000	-0.290	
	Z	955.368	954.321	-3.000	3.000	-1.046	
PSUR101	Pt. Surf. [F] sur Surface @128-2641.						
	V.G.	0.000	-2.295	-3.000	3.000	-2.295	
	X	2618.171	2616.073	-3.000	3.000	-2.098	
	Y	-299.453	-299.716	-3.000	3.000	-0.263	
	Z	955.999	955.104	-3.000	3.000	-0.895	
PSUR102	Pt. Surf. [F] sur Surface @144-913.						
	V.G.	0.000	-1.711	-3.000	3.000	-1.711	
	X	2618.465	2616.897	-3.000	3.000	-1.568	
	Y	-316.864	-316.864	-3.000	3.000	-0.000	
	Z	956.669	955.984	-3.000	3.000	-0.685	
PSUR103	Pt. Surf. [F] sur Surface @144-913.						
	V.G.	0.000	-1.222	-3.000	3.000	-1.222	
	X	2618.548	2617.427	-3.000	3.000	-1.121	
	Y	-330.380	-330.380	-3.000	3.000	-0.000	
	Z	956.482	955.995	-3.000	3.000	-0.487	
PSUR104	Pt. Surf. [F] sur Surface @144-2095.						
	V.G.	0.000	-0.916	-3.000	3.000	-0.916	
	X	2618.848	2618.006	-3.000	3.000	-0.842	
	Y	-347.731	-347.731	-3.000	3.000	0.000	
	Z	955.787	955.426	-3.000	3.000	-0.360	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR105	Pt. Surf. [F] sur Surface @144-2095.						
	V.G.	0.000	-0.885	-3.000	3.000	-0.885	
	X	2619.179	2618.364	-3.000	3.000	-0.816	
	Y	-360.259	-360.259	-3.000	3.000	0.000	
	Z	955.002	954.659	-3.000	3.000	-0.343	
PSUR106	Pt. Surf. [F] sur Surface @144-913.						
	V.G.	0.000	-0.001	-3.000	3.000	-0.001	
	X	2618.809	2618.809	-3.000	3.000	-0.001	
	Y	-376.326	-376.326	-3.000	3.000	0.000	
	Z	953.529	953.528	-3.000	3.000	-0.000	
PSUR107	Pt. Surf. [B] sur Surface @144-2179.						
	V.G.	0.000	0.326	-3.000	3.000	0.326	
	X	2618.795	2619.093	-3.000	3.000	0.298	
	Y	-390.639	-390.676	-3.000	3.000	-0.037	
	Z	951.574	951.701	-3.000	3.000	0.127	
PSUR108	Pt. Surf. [B] sur Surface @144-2179.						
	V.G.	0.000	0.805	-3.000	3.000	0.805	
	X	2618.414	2619.149	-3.000	3.000	0.735	
	Y	-404.167	-404.260	-3.000	3.000	-0.094	
	Z	948.493	948.807	-3.000	3.000	0.314	
PSUR109	Pt. Surf. [B] sur Surface @128-941.						
	V.G.	0.000	1.110	-3.000	3.000	1.110	
	X	2624.519	2625.604	-3.000	3.000	1.085	
	Y	-408.056	-408.201	-3.000	3.000	-0.146	
	Z	925.118	925.300	-3.000	3.000	0.183	
PSUR110	Pt. Surf. [B] sur Surface @144-913.						
	V.G.	0.000	0.408	-3.000	3.000	0.408	
	X	2625.454	2625.853	-3.000	3.000	0.399	
	Y	-390.254	-390.283	-3.000	3.000	-0.029	
	Z	928.860	928.939	-3.000	3.000	0.079	
PSUR111	Pt. Surf. [B] sur Surface @144-913.						
	V.G.	0.000	0.166	-3.000	3.000	0.166	
	X	2626.212	2626.375	-3.000	3.000	0.163	
	Y	-378.994	-379.003	-3.000	3.000	-0.009	
	Z	928.602	928.633	-3.000	3.000	0.031	
PSUR112	Pt. Surf. [F] sur Surface @144-913.						
	V.G.	0.000	-0.252	-3.000	3.000	-0.252	
	X	2626.980	2626.732	-3.000	3.000	-0.248	
	Y	-360.762	-360.756	-3.000	3.000	0.006	
	Z	928.231	928.186	-3.000	3.000	-0.045	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR113	Pt. Surf. [F] sur Surface @144-913.					
	V.G.	0.000	-0.572	-3.000	3.000	-0.572
	X	2627.228	2626.665	-3.000	3.000	-0.563
	Y	-348.118	-348.113	-3.000	3.000	0.005
	Z	928.024	927.924	-3.000	3.000	-0.100
PSUR114	Pt. Surf. [F] sur Surface @144-2095.					
	V.G.	0.000	-1.039	-3.000	3.000	-1.039
	X	2627.262	2626.239	-3.000	3.000	-1.024
	Y	-331.542	-331.551	-3.000	3.000	-0.010
	Z	927.811	927.632	-3.000	3.000	-0.179
PSUR115	Pt. Surf. [F] sur Surface @144-2095.					
	V.G.	0.000	-1.391	-3.000	3.000	-1.391
	X	2627.006	2625.636	-3.000	3.000	-1.370
	Y	-316.292	-316.332	-3.000	3.000	-0.040
	Z	927.638	927.398	-3.000	3.000	-0.240
PSUR116	Pt. Surf. [F] sur Surface @144-2095.					
	V.G.	0.000	-1.727	-3.000	3.000	-1.727
	X	2626.207	2624.510	-3.000	3.000	-1.697
	Y	-297.130	-297.230	-3.000	3.000	-0.100
	Z	927.461	927.154	-3.000	3.000	-0.306
PSUR117	Pt. Surf. [F] sur Surface @144-2095.					
	V.G.	0.000	-1.657	-3.000	3.000	-1.657
	X	2624.701	2623.081	-3.000	3.000	-1.620
	Y	-277.258	-277.417	-3.000	3.000	-0.159
	Z	927.242	926.930	-3.000	3.000	-0.312
PSUR118	Pt. Surf. [F] sur Surface @144-3201.					
	V.G.	0.000	-1.724	-3.000	3.000	-1.724
	X	2624.408	2622.734	-3.000	3.000	-1.675
	Y	-268.896	-269.300	-3.000	3.000	-0.405
	Z	921.225	921.159	-3.000	3.000	-0.065
PSUR119	Pt. Surf. [H] sur Surface @144-3445.					
	V.G.	0.000	-0.797	-3.000	3.000	-0.797
	X	2613.969	2613.886	-3.000	3.000	-0.083
	Y	-269.611	-269.692	-3.000	3.000	-0.081
	Z	908.266	909.054	-3.000	3.000	0.788
PSUR120	Pt. Surf. [H] sur Surface @144-1967.					
	V.G.	0.000	-0.375	-3.000	3.000	-0.375
	X	2614.376	2614.359	-3.000	3.000	-0.017
	Y	-281.892	-281.897	-3.000	3.000	-0.005
	Z	907.971	908.345	-3.000	3.000	0.374

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR121	Pt. Surf. [H] sur Surface @144-1967.					
	V.G.	0.000	-0.581	-3.000	3.000	-0.581
	X	2615.143	2615.130	-3.000	3.000	-0.014
	Y	-300.120	-300.124	-3.000	3.000	-0.004
	Z	907.819	908.400	-3.000	3.000	0.581
PSUR122	Pt. Surf. [H] sur Surface @144-1967.					
	V.G.	0.000	-0.946	-3.000	3.000	-0.946
	X	2615.867	2615.843	-3.000	3.000	-0.024
	Y	-317.190	-317.193	-3.000	3.000	-0.003
	Z	907.748	908.693	-3.000	3.000	0.945
PSUR123	Pt. Surf. [H] sur Surface @144-1967.					
	V.G.	0.000	-1.060	-3.000	3.000	-1.060
	X	2616.496	2616.451	-3.000	3.000	-0.045
	Y	-333.143	-333.144	-3.000	3.000	-0.001
	Z	907.731	908.789	-3.000	3.000	1.059
PSUR124	Pt. Surf. [H] sur Surface @144-1447.					
	V.G.	0.000	-0.570	-3.000	3.000	-0.570
	X	2616.942	2616.905	-3.000	3.000	-0.037
	Y	-347.814	-347.813	-3.000	3.000	0.001
	Z	907.756	908.325	-3.000	3.000	0.569
PSUR125	Pt. Surf. [L] sur Surface @144-1447.					
	V.G.	0.000	0.000	-3.000	3.000	0.000
	X	2617.363	2617.363	-3.000	3.000	0.000
	Y	-363.400	-363.401	-3.000	3.000	-0.000
	Z	907.844	907.844	-3.000	3.000	-0.000
PSUR126	Pt. Surf. [L] sur Surface @144-1447.					
	V.G.	0.000	0.385	-3.000	3.000	0.385
	X	2617.647	2617.703	-3.000	3.000	0.056
	Y	-375.236	-375.241	-3.000	3.000	-0.004
	Z	907.979	907.598	-3.000	3.000	-0.381
PSUR127	Pt. Surf. [L] sur Surface @144-1447.					
	V.G.	0.000	0.823	-3.000	3.000	0.823
	X	2617.942	2618.125	-3.000	3.000	0.183
	Y	-390.200	-390.219	-3.000	3.000	-0.019
	Z	908.286	907.483	-3.000	3.000	-0.803
PSUR128	Pt. Surf. [L] sur Surface @144-1447.					
	V.G.	0.000	0.595	-3.000	3.000	0.595
	X	2618.306	2618.495	-3.000	3.000	0.190
	Y	-401.399	-401.422	-3.000	3.000	-0.023
	Z	908.738	908.175	-3.000	3.000	-0.564

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR129	Pt. Surf. [H] sur Surface @144-3255.					
	V.G.	0.000	-0.115	-3.000	3.000	-0.115
	X	2618.902	2618.849	-3.000	3.000	-0.052
	Y	-410.103	-410.084	-3.000	3.000	0.019
	Z	909.624	909.725	-3.000	3.000	0.101
PSUR130	Pt. Surf. [L] sur Surface @144-3255.					
	V.G.	0.000	0.458	-3.000	3.000	0.458
	X	2614.511	2614.572	-3.000	3.000	0.062
	Y	-410.379	-410.429	-3.000	3.000	-0.050
	Z	908.330	907.880	-3.000	3.000	-0.451
PSUR131	Pt. Surf. [L] sur Surface @144-3255.					
	V.G.	0.000	0.814	-3.000	3.000	0.814
	X	2607.512	2607.440	-3.000	3.000	-0.072
	Y	-410.850	-410.884	-3.000	3.000	-0.034
	Z	908.410	907.600	-3.000	3.000	-0.810
PSUR132	Pt. Surf. [L] sur Surface @144-3975.					
	V.G.	0.000	0.793	-3.000	3.000	0.793
	X	2602.989	2602.916	-3.000	3.000	-0.073
	Y	-411.102	-411.115	-3.000	3.000	-0.014
	Z	908.829	908.039	-3.000	3.000	-0.789
PSUR133	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.696	-3.000	3.000	0.696
	X	2606.017	2606.218	-3.000	3.000	0.201
	Y	-423.978	-424.642	-3.000	3.000	-0.664
	Z	926.621	926.685	-3.000	3.000	0.064
PSUR134	Pt. Surf. [O] sur Surface @128-941.					
	V.G.	0.000	0.248	-3.000	3.000	0.248
	X	2613.107	2613.190	-3.000	3.000	0.083
	Y	-421.835	-422.068	-3.000	3.000	-0.233
	Z	925.516	925.542	-3.000	3.000	0.026
PSUR135	Pt. Surf. [I] sur Surface @144-1283.					
	V.G.	0.000	-0.644	-3.000	3.000	-0.644
	X	2615.276	2614.945	-3.000	3.000	-0.331
	Y	-418.987	-418.451	-3.000	3.000	0.535
	Z	935.993	935.856	-3.000	3.000	-0.137
PSUR136	Pt. Surf. [B] sur Surface @128-941.					
	V.G.	0.000	1.056	-3.000	3.000	1.056
	X	2624.756	2625.797	-3.000	3.000	1.041
	Y	-409.100	-409.265	-3.000	3.000	-0.165
	Z	922.034	922.111	-3.000	3.000	0.077

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR137	Pt. Surf. [F] sur Surface @144-2179.					
	V.G.	0.000	-0.923	-3.000	3.000	-0.923
	X	2604.714	2603.970	-3.000	3.000	-0.744
	Y	-396.729	-396.632	-3.000	3.000	0.097
	Z	975.974	975.436	-3.000	3.000	-0.538
PSUR138	Pt. Surf. [L] sur Surface @144-703.					
	V.G.	0.000	-2.025	-3.000	3.000	-2.025
	X	2596.520	2595.119	-3.000	3.000	-1.401
	Y	-396.950	-396.663	-3.000	3.000	0.287
	Z	985.779	984.345	-3.000	3.000	-1.434
PSUR139	Pt. Surf. [L] sur Surface @144-913.					
	V.G.	0.000	-0.466	-3.000	3.000	-0.466
	X	2595.611	2595.288	-3.000	3.000	-0.323
	Y	-387.467	-387.432	-3.000	3.000	0.035
	Z	987.933	987.599	-3.000	3.000	-0.334
PSUR140	Pt. Surf. [H] sur Surface @144-913.					
	V.G.	0.000	0.135	-3.000	3.000	0.135
	X	2595.110	2595.201	-3.000	3.000	0.092
	Y	-376.054	-376.061	-3.000	3.000	-0.008
	Z	989.441	989.540	-3.000	3.000	0.099
PSUR141	Pt. Surf. [H] sur Surface @144-913.					
	V.G.	0.000	0.031	-3.000	3.000	0.031
	X	2594.789	2594.810	-3.000	3.000	0.020
	Y	-360.689	-360.690	-3.000	3.000	-0.001
	Z	990.622	990.645	-3.000	3.000	0.023
PSUR142	Pt. Surf. [L] sur Surface @144-913.					
	V.G.	0.000	-0.090	-3.000	3.000	-0.090
	X	2594.441	2594.382	-3.000	3.000	-0.059
	Y	-346.855	-346.854	-3.000	3.000	0.001
	Z	991.297	991.229	-3.000	3.000	-0.068
PSUR143	Pt. Surf. [L] sur Surface @144-2805.					
	V.G.	0.000	-0.140	-3.000	3.000	-0.140
	X	2593.991	2593.900	-3.000	3.000	-0.091
	Y	-332.772	-332.774	-3.000	3.000	-0.001
	Z	991.678	991.572	-3.000	3.000	-0.106
PSUR144	Pt. Surf. [L] sur Surface @144-2805.					
	V.G.	0.000	-0.173	-3.000	3.000	-0.173
	X	2593.468	2593.357	-3.000	3.000	-0.111
	Y	-318.545	-318.551	-3.000	3.000	-0.005
	Z	991.733	991.601	-3.000	3.000	-0.132

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR145	Pt. Surf. [L] sur Surface @144-2805.					
	V.G.	0.000	-0.328	-3.000	3.000	-0.328
	X	2593.062	2592.851	-3.000	3.000	-0.211
	Y	-307.224	-307.240	-3.000	3.000	-0.016
	Z	991.477	991.227	-3.000	3.000	-0.251
PSUR146	Pt. Surf. [L] sur Surface @144-241.					
	V.G.	0.000	-0.815	-3.000	3.000	-0.815
	X	2592.741	2592.215	-3.000	3.000	-0.527
	Y	-295.444	-295.501	-3.000	3.000	-0.057
	Z	990.833	990.213	-3.000	3.000	-0.620
PSUR147	Pt. Surf. [L] sur Surface @144-2805.					
	V.G.	0.000	-0.158	-3.000	3.000	-0.158
	X	2587.442	2587.360	-3.000	3.000	-0.081
	Y	-306.913	-306.921	-3.000	3.000	-0.008
	Z	995.504	995.368	-3.000	3.000	-0.136
PSUR148	Pt. Surf. [H] sur Surface @144-2805.					
	V.G.	0.000	0.153	-3.000	3.000	0.153
	X	2587.762	2587.841	-3.000	3.000	0.079
	Y	-317.673	-317.668	-3.000	3.000	0.005
	Z	995.815	995.945	-3.000	3.000	0.131
PSUR149	Pt. Surf. [L] sur Surface @144-1187.					
	V.G.	0.000	-0.060	-3.000	3.000	-0.060
	X	2586.043	2586.015	-3.000	3.000	-0.028
	Y	-329.206	-329.206	-3.000	3.000	0.000
	Z	997.177	997.124	-3.000	3.000	-0.053
PSUR150	Pt. Surf. [L] sur Surface @144-1187.					
	V.G.	0.000	-0.072	-3.000	3.000	-0.072
	X	2586.422	2586.388	-3.000	3.000	-0.034
	Y	-340.109	-340.109	-3.000	3.000	0.000
	Z	996.974	996.910	-3.000	3.000	-0.063
PSUR151	Pt. Surf. [L] sur Surface @144-1187.					
	V.G.	0.000	-0.191	-3.000	3.000	-0.191
	X	2586.948	2586.853	-3.000	3.000	-0.094
	Y	-355.210	-355.206	-3.000	3.000	0.004
	Z	996.505	996.338	-3.000	3.000	-0.167
PSUR152	Pt. Surf. [L] sur Surface @144-1187.					
	V.G.	0.000	-0.260	-3.000	3.000	-0.260
	X	2587.409	2587.276	-3.000	3.000	-0.133
	Y	-370.870	-370.858	-3.000	3.000	0.012
	Z	995.645	995.422	-3.000	3.000	-0.223

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR153	Pt. Surf. [L] sur Surface @128-1417.					
	V.G.	0.000	-0.514	-3.000	3.000	-0.514
	X	2592.116	2591.791	-3.000	3.000	-0.325
	Y	-387.486	-387.445	-3.000	3.000	0.041
	Z	991.070	990.673	-3.000	3.000	-0.397
PSUR154	Pt. Surf. [L] sur Surface @128-2377.					
	V.G.	0.000	-0.141	-3.000	3.000	-0.141
	X	2537.945	2537.932	-3.000	3.000	-0.014
	Y	-414.132	-414.046	-3.000	3.000	0.086
	Z	997.725	997.614	-3.000	3.000	-0.111
PSUR155	Pt. Surf. [L] sur Surface @128-2377.					
	V.G.	0.000	-0.127	-3.000	3.000	-0.127
	X	2547.663	2547.650	-3.000	3.000	-0.013
	Y	-409.891	-409.824	-3.000	3.000	0.067
	Z	999.446	999.338	-3.000	3.000	-0.108
PSUR156	Pt. Surf. [L] sur Surface @144-703.					
	V.G.	0.000	-2.003	-3.000	3.000	-2.003
	X	2560.448	2559.788	-3.000	3.000	-0.661
	Y	-407.974	-407.252	-3.000	3.000	0.722
	Z	998.933	997.185	-3.000	3.000	-1.747
PSUR157	Pt. Surf. [L] sur Surface @144-703.					
	V.G.	0.000	-0.657	-3.000	3.000	-0.657
	X	2575.573	2575.352	-3.000	3.000	-0.221
	Y	-403.072	-402.804	-3.000	3.000	0.268
	Z	995.142	994.584	-3.000	3.000	-0.557
PSUR158	Pt. Surf. [L] sur Surface @144-1321.					
	V.G.	0.000	-0.705	-3.000	3.000	-0.705
	X	2582.357	2582.100	-3.000	3.000	-0.256
	Y	-399.777	-399.516	-3.000	3.000	0.261
	Z	993.918	993.315	-3.000	3.000	-0.603
PSUR159	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.968	-3.000	3.000	-1.968
	X	2581.452	2580.774	-3.000	3.000	-0.679
	Y	-414.433	-413.025	-3.000	3.000	1.407
	Z	983.403	982.207	-3.000	3.000	-1.196
PSUR160	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.647	-3.000	3.000	-1.647
	X	2579.763	2579.281	-3.000	3.000	-0.482
	Y	-422.287	-420.842	-3.000	3.000	1.445
	Z	971.694	971.068	-3.000	3.000	-0.626

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR161	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-0.721	-3.000	3.000	-0.721
	X	2577.898	2577.723	-3.000	3.000	-0.175
	Y	-426.542	-425.862	-3.000	3.000	0.680
	Z	960.278	960.112	-3.000	3.000	-0.166
PSUR162	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.208	-3.000	3.000	0.208
	X	2575.803	2575.847	-3.000	3.000	0.044
	Y	-429.493	-429.694	-3.000	3.000	-0.201
	Z	947.579	947.609	-3.000	3.000	0.030
PSUR163	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.778	-3.000	3.000	0.778
	X	2574.260	2574.410	-3.000	3.000	0.150
	Y	-430.931	-431.691	-3.000	3.000	-0.760
	Z	938.243	938.314	-3.000	3.000	0.071
PSUR164	Pt. Surf. [O] sur Surface @144-3895.					
	V.G.	0.000	0.910	-3.000	3.000	0.910
	X	2572.406	2572.567	-3.000	3.000	0.160
	Y	-432.027	-432.922	-3.000	3.000	-0.895
	Z	926.736	926.768	-3.000	3.000	0.032
PSUR165	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	1.224	-3.000	3.000	1.224
	X	2553.468	2553.614	-3.000	3.000	0.146
	Y	-434.733	-435.948	-3.000	3.000	-1.214
	Z	929.896	929.948	-3.000	3.000	0.052
PSUR166	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.402	-3.000	3.000	0.402
	X	2556.219	2556.272	-3.000	3.000	0.054
	Y	-433.145	-433.541	-3.000	3.000	-0.396
	Z	945.795	945.841	-3.000	3.000	0.046
PSUR167	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-0.729	-3.000	3.000	-0.729
	X	2558.763	2558.649	-3.000	3.000	-0.114
	Y	-430.261	-429.556	-3.000	3.000	0.705
	Z	961.394	961.245	-3.000	3.000	-0.148
PSUR168	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.961	-3.000	3.000	-1.961
	X	2561.062	2560.675	-3.000	3.000	-0.387
	Y	-425.692	-423.912	-3.000	3.000	1.779
	Z	975.775	975.046	-3.000	3.000	-0.729

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR169	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-2.044	-3.000	3.000	-2.044
	X	2562.938	2562.448	-3.000	3.000	-0.490
	Y	-416.974	-415.495	-3.000	3.000	1.479
	Z	989.121	987.798	-3.000	3.000	-1.323
PSUR170	Pt. Surf. [L] sur Surface @144-703.					
	V.G.	0.000	-2.507	-3.000	3.000	-2.507
	X	2563.873	2563.014	-3.000	3.000	-0.858
	Y	-411.417	-410.291	-3.000	3.000	1.126
	Z	995.487	993.418	-3.000	3.000	-2.069
PSUR171	Pt. Surf. [L] sur Surface @128-2377.					
	V.G.	0.000	-1.658	-3.000	3.000	-1.658
	X	2548.939	2548.791	-3.000	3.000	-0.148
	Y	-416.439	-415.329	-3.000	3.000	1.110
	Z	994.470	993.248	-3.000	3.000	-1.222
PSUR172	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-2.109	-3.000	3.000	-2.109
	X	2547.607	2547.303	-3.000	3.000	-0.304
	Y	-423.889	-422.095	-3.000	3.000	1.794
	Z	984.733	983.667	-3.000	3.000	-1.067
PSUR173	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.515	-3.000	3.000	-1.515
	X	2545.579	2545.409	-3.000	3.000	-0.170
	Y	-429.770	-428.318	-3.000	3.000	1.452
	Z	971.161	970.761	-3.000	3.000	-0.399
PSUR174	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-0.397	-3.000	3.000	-0.397
	X	2543.596	2543.558	-3.000	3.000	-0.037
	Y	-432.733	-432.343	-3.000	3.000	0.389
	Z	958.610	958.540	-3.000	3.000	-0.069
PSUR175	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.243	-3.000	3.000	0.243
	X	2541.765	2541.785	-3.000	3.000	0.021
	Y	-434.577	-434.817	-3.000	3.000	-0.240
	Z	947.184	947.212	-3.000	3.000	0.028
PSUR176	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.431	-3.000	3.000	0.431
	X	2537.626	2537.658	-3.000	3.000	0.032
	Y	-436.493	-436.922	-3.000	3.000	-0.430
	Z	921.791	921.796	-3.000	3.000	0.006

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR177	Pt. Surf. [I] sur Surface @128-581.						
	V.G.	0.000	-1.880	-3.000	3.000	-1.880	
	X	2535.895	2535.499	-3.000	3.000	-0.396	
	Y	-436.009	-434.210	-3.000	3.000	1.799	
	Z	910.556	910.931	-3.000	3.000	0.375	
PSUR178	Pt. Surf. [I] sur Surface @128-551.						
	V.G.	0.000	-2.262	-3.000	3.000	-2.262	
	X	2484.895	2486.305	-3.000	3.000	1.410	
	Y	-434.643	-432.903	-3.000	3.000	1.740	
	Z	909.544	909.231	-3.000	3.000	-0.312	
PSUR179	Pt. Surf. [I] sur Surface @144-3659.						
	V.G.	0.000	-4.739	-3.000	3.000	-4.739	-1.739
	X	2491.052	2492.606	-3.000	3.000	1.554	
	Y	-436.351	-431.909	-3.000	3.000	4.442	1.442
	Z	920.356	919.803	-3.000	3.000	-0.553	
PSUR180	Pt. Surf. [I] sur Surface @144-433.						
	V.G.	0.000	-7.683	-3.000	3.000	-7.683	-4.683
	X	2493.913	2494.389	-3.000	3.000	0.476	
	Y	-436.272	-428.640	-3.000	3.000	7.632	4.632
	Z	935.301	934.564	-3.000	3.000	-0.738	
PSUR181	Pt. Surf. [I] sur Surface @144-3659.						
	V.G.	0.000	-6.287	-3.000	3.000	-6.287	-3.287
	X	2496.540	2499.687	-3.000	3.000	3.147	0.147
	Y	-433.564	-428.386	-3.000	3.000	5.178	2.178
	Z	945.417	943.740	-3.000	3.000	-1.677	
PSUR182	Pt. Surf. [I] sur Surface @144-1381.						
	V.G.	0.000	-5.325	-3.000	3.000	-5.325	-2.325
	X	2507.237	2507.516	-3.000	3.000	0.279	
	Y	-434.946	-429.693	-3.000	3.000	5.253	2.253
	Z	951.371	950.543	-3.000	3.000	-0.828	
PSUR183	Pt. Surf. [I] sur Surface @128-579.						
	V.G.	0.000	-5.783	-3.000	3.000	-5.783	-2.783
	X	2517.925	2517.956	-3.000	3.000	0.031	
	Y	-431.574	-425.955	-3.000	3.000	5.618	2.618
	Z	970.094	968.723	-3.000	3.000	-1.371	
PSUR184	Pt. Surf. [I] sur Surface @128-579.						
	V.G.	0.000	-6.239	-3.000	3.000	-6.239	-3.239
	X	2521.310	2521.434	-3.000	3.000	0.124	
	Y	-428.661	-422.906	-3.000	3.000	5.755	2.755
	Z	979.364	976.957	-3.000	3.000	-2.407	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR185	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-2.448	-3.000	3.000	-2.448
	X	2536.940	2536.728	-3.000	3.000	-0.211
	Y	-426.541	-424.350	-3.000	3.000	2.191
	Z	982.419	981.347	-3.000	3.000	-1.072
PSUR186	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.248	-3.000	3.000	-1.248
	X	2538.530	2538.402	-3.000	3.000	-0.128
	Y	-418.273	-417.386	-3.000	3.000	0.887
	Z	993.949	993.080	-3.000	3.000	-0.869
PSUR187	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-2.457	-3.000	3.000	-2.457
	X	2536.674	2536.465	-3.000	3.000	-0.209
	Y	-426.546	-424.347	-3.000	3.000	2.199
	Z	982.462	981.384	-3.000	3.000	-1.078
PSUR188	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-1.780	-3.000	3.000	-1.780
	X	2534.929	2534.811	-3.000	3.000	-0.118
	Y	-430.854	-429.133	-3.000	3.000	1.721
	Z	970.779	970.339	-3.000	3.000	-0.440
PSUR189	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-0.543	-3.000	3.000	-0.543
	X	2532.820	2532.791	-3.000	3.000	-0.030
	Y	-433.783	-433.248	-3.000	3.000	0.535
	Z	957.222	957.132	-3.000	3.000	-0.090
PSUR190	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.183	-3.000	3.000	0.183
	X	2530.633	2530.642	-3.000	3.000	0.009
	Y	-435.722	-435.904	-3.000	3.000	-0.182
	Z	943.530	943.548	-3.000	3.000	0.018
PSUR191	Pt. Surf. [O] sur Surface @144-433.					
	V.G.	0.000	0.369	-3.000	3.000	0.369
	X	2528.207	2528.225	-3.000	3.000	0.017
	Y	-436.888	-437.256	-3.000	3.000	-0.368
	Z	928.666	928.682	-3.000	3.000	0.015
PSUR192	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-0.666	-3.000	3.000	-0.666
	X	2526.016	2525.984	-3.000	3.000	-0.032
	Y	-437.234	-436.568	-3.000	3.000	0.666
	Z	915.364	915.367	-3.000	3.000	0.003

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR193	Pt. Surf. [I] sur Surface @128-581.					
	V.G.	0.000	-2.288	-3.000	3.000	-2.288
	X	2524.771	2524.639	-3.000	3.000	-0.133
	Y	-437.164	-434.881	-3.000	3.000	2.283
	Z	907.730	907.814	-3.000	3.000	0.084
PSUR194	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-0.889	-3.000	3.000	-0.889
	X	2512.663	2512.651	-3.000	3.000	-0.011
	Y	-437.636	-436.747	-3.000	3.000	0.888
	Z	917.036	917.028	-3.000	3.000	-0.009
PSUR195	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-0.917	-3.000	3.000	-0.917
	X	2516.028	2516.021	-3.000	3.000	-0.006
	Y	-436.676	-435.762	-3.000	3.000	0.913
	Z	937.531	937.455	-3.000	3.000	-0.076
PSUR196	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-3.030	-3.000	3.000	-3.030
	X	2532.444	2532.241	-3.000	3.000	-0.203
	Y	-423.983	-421.449	-3.000	3.000	2.533
	Z	987.644	985.994	-3.000	3.000	-1.649
PSUR197	Pt. Surf. [I] sur Surface @144-1321.					
	V.G.	0.000	-2.531	-3.000	3.000	-2.531
	X	2530.302	2530.180	-3.000	3.000	-0.122
	Y	-430.559	-428.125	-3.000	3.000	2.435
	Z	972.915	972.236	-3.000	3.000	-0.679
PSUR198	Pt. Surf. [L] sur Surface @144-1321.					
	V.G.	0.000	-0.964	-3.000	3.000	-0.964
	X	2539.288	2539.185	-3.000	3.000	-0.103
	Y	-417.395	-416.730	-3.000	3.000	0.666
	Z	994.708	994.019	-3.000	3.000	-0.689
PSUR199	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-2.872	-3.000	3.000	-2.872
	X	2516.238	2516.250	-3.000	3.000	0.012
	Y	-434.431	-431.597	-3.000	3.000	2.833
	Z	955.846	955.380	-3.000	3.000	-0.466
PSUR200	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-2.488	-3.000	3.000	-2.488
	X	2505.531	2505.518	-3.000	3.000	-0.013
	Y	-437.587	-435.100	-3.000	3.000	2.487
	Z	904.005	904.071	-3.000	3.000	0.065

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR201	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-2.773	-3.000	3.000	-2.773
	X	2500.063	2500.088	-3.000	3.000	0.025
	Y	-437.598	-434.826	-3.000	3.000	2.772
	Z	904.925	904.977	-3.000	3.000	0.051
PSUR202	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-2.140	-3.000	3.000	-2.140
	X	2501.590	2501.620	-3.000	3.000	0.030
	Y	-437.657	-435.518	-3.000	3.000	2.139
	Z	913.997	913.977	-3.000	3.000	-0.020
PSUR203	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-2.418	-3.000	3.000	-2.418
	X	2502.989	2503.035	-3.000	3.000	0.045
	Y	-437.478	-435.062	-3.000	3.000	2.416
	Z	922.596	922.505	-3.000	3.000	-0.091
PSUR204	Pt. Surf. [I] sur Surface @144-433.					
	V.G.	0.000	-2.979	-3.000	3.000	-2.979
	X	2506.442	2506.502	-3.000	3.000	0.060
	Y	-436.856	-433.886	-3.000	3.000	2.969
	Z	934.501	934.267	-3.000	3.000	-0.235
PSUR205	Pt. Surf. [L] sur Surface @144-3255.					
	V.G.	0.000	0.742	-3.000	3.000	0.742
	X	2609.640	2609.593	-3.000	3.000	-0.047
	Y	-410.279	-410.312	-3.000	3.000	-0.033
	Z	908.218	907.479	-3.000	3.000	-0.740
PSUR206	Pt. Surf. [L] sur Surface @144-3975.					
	V.G.	0.000	0.809	-3.000	3.000	0.809
	X	2601.527	2601.452	-3.000	3.000	-0.076
	Y	-410.741	-410.746	-3.000	3.000	-0.005
	Z	908.961	908.155	-3.000	3.000	-0.806
PSUR207	Pt. Surf. [L] sur Surface @144-1161.					
	V.G.	0.000	0.432	-3.000	3.000	0.432
	X	2589.889	2589.853	-3.000	3.000	-0.037
	Y	-411.217	-411.217	-3.000	3.000	0.000
	Z	910.009	909.578	-3.000	3.000	-0.430
PSUR208	Pt. Surf. [L] sur Surface @144-1161.					
	V.G.	0.000	0.053	-3.000	3.000	0.053
	X	2576.627	2576.623	-3.000	3.000	-0.004
	Y	-411.750	-411.750	-3.000	3.000	0.000
	Z	911.078	911.024	-3.000	3.000	-0.053

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR209	Pt. Surf. [L] sur Surface @144-1161.					
	V.G.	0.000	0.053	-3.000	3.000	0.053
	X	2570.511	2570.508	-3.000	3.000	-0.004
	Y	-411.998	-411.998	-3.000	3.000	0.000
	Z	911.531	911.478	-3.000	3.000	-0.052
PSUR210	Pt. Surf. [H] sur Surface @144-1699.					
	V.G.	0.000	-0.655	-3.000	3.000	-0.655
	X	2569.383	2569.428	-3.000	3.000	0.045
	Y	-401.433	-401.433	-3.000	3.000	0.000
	Z	911.611	912.265	-3.000	3.000	0.653
PSUR211	Pt. Surf. [L] sur Surface @144-1699.					
	V.G.	0.000	0.050	-3.000	3.000	0.050
	X	2569.790	2569.786	-3.000	3.000	-0.004
	Y	-412.281	-412.281	-3.000	3.000	0.000
	Z	911.583	911.533	-3.000	3.000	-0.050
PSUR212	Pt. Surf. [L] sur Surface @144-1161.					
	V.G.	0.000	0.487	-3.000	3.000	0.487
	X	2594.298	2594.255	-3.000	3.000	-0.043
	Y	-408.167	-408.167	-3.000	3.000	0.000
	Z	909.624	909.140	-3.000	3.000	-0.485
PSUR213	Pt. Surf. [H] sur Surface @144-1161.					
	V.G.	0.000	-0.778	-3.000	3.000	-0.778
	X	2594.143	2594.212	-3.000	3.000	0.069
	Y	-401.670	-401.670	-3.000	3.000	-0.000
	Z	909.638	910.414	-3.000	3.000	0.775
PSUR214	Pt. Surf. [H] sur Surface @144-1161.					
	V.G.	0.000	-1.036	-3.000	3.000	-1.036
	X	2593.453	2593.544	-3.000	3.000	0.091
	Y	-383.239	-383.239	-3.000	3.000	-0.000
	Z	909.699	910.731	-3.000	3.000	1.032
PSUR215	Pt. Surf. [H] sur Surface @144-1161.					
	V.G.	0.000	-0.320	-3.000	3.000	-0.320
	X	2594.046	2594.074	-3.000	3.000	0.028
	Y	-374.277	-374.277	-3.000	3.000	-0.000
	Z	909.647	909.965	-3.000	3.000	0.319
PSUR216	Pt. Surf. [H] sur Surface @144-1161.					
	V.G.	0.000	-0.183	-3.000	3.000	-0.183
	X	2593.702	2593.718	-3.000	3.000	0.016
	Y	-365.662	-365.662	-3.000	3.000	-0.000
	Z	909.677	909.859	-3.000	3.000	0.182

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR217	Pt. Surf. [H] sur Surface @144-1161.					
	V.G.	0.000	-0.169	-3.000	3.000	-0.169
	X	2593.172	2593.187	-3.000	3.000	0.015
	Y	-351.996	-351.996	-3.000	3.000	-0.000
	Z	909.724	909.893	-3.000	3.000	0.168
PSUR218	Pt. Surf. [H] sur Surface @144-1473.					
	V.G.	0.000	-0.404	-3.000	3.000	-0.404
	X	2592.691	2592.726	-3.000	3.000	0.035
	Y	-339.088	-339.088	-3.000	3.000	0.000
	Z	909.766	910.169	-3.000	3.000	0.403
PSUR219	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	0.116	-3.000	3.000	0.116
	X	2592.158	2592.148	-3.000	3.000	-0.010
	Y	-326.361	-326.361	-3.000	3.000	-0.000
	Z	909.813	909.698	-3.000	3.000	-0.115
PSUR220	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	0.300	-3.000	3.000	0.300
	X	2591.805	2591.779	-3.000	3.000	-0.026
	Y	-317.593	-317.593	-3.000	3.000	-0.000
	Z	909.844	909.545	-3.000	3.000	-0.299
PSUR221	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	0.380	-3.000	3.000	0.380
	X	2591.668	2591.635	-3.000	3.000	-0.033
	Y	-314.215	-314.215	-3.000	3.000	-0.000
	Z	909.855	909.477	-3.000	3.000	-0.379
PSUR222	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	1.207	-3.000	3.000	1.207
	X	2602.169	2602.054	-3.000	3.000	-0.115
	Y	-279.081	-279.081	-3.000	3.000	0.000
	Z	908.898	907.696	-3.000	3.000	-1.202
PSUR223	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	1.028	-3.000	3.000	1.028
	X	2591.720	2591.631	-3.000	3.000	-0.089
	Y	-279.500	-279.500	-3.000	3.000	-0.000
	Z	909.851	908.827	-3.000	3.000	-1.024
PSUR224	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	1.067	-3.000	3.000	1.067
	X	2583.366	2583.280	-3.000	3.000	-0.086
	Y	-268.978	-268.978	-3.000	3.000	-0.000
	Z	910.550	909.486	-3.000	3.000	-1.063

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR225	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	0.930	-3.000	3.000	0.930
	X	2578.746	2578.674	-3.000	3.000	-0.072
	Y	-269.153	-269.153	-3.000	3.000	-0.000
	Z	910.915	909.987	-3.000	3.000	-0.928
PSUR226	Pt. Surf. [L] sur Surface @144-2753.					
	V.G.	0.000	0.790	-3.000	3.000	0.790
	X	2578.326	2578.289	-3.000	3.000	-0.037
	Y	-259.318	-259.203	-3.000	3.000	0.115
	Z	911.219	910.438	-3.000	3.000	-0.781
PSUR227	Pt. Surf. [L] sur Surface @144-2753.					
	V.G.	0.000	1.468	-3.000	3.000	1.468
	X	2603.077	2603.006	-3.000	3.000	-0.071
	Y	-264.830	-264.583	-3.000	3.000	0.247
	Z	909.153	907.708	-3.000	3.000	-1.445
PSUR228	Pt. Surf. [L] sur Surface @144-2753.					
	V.G.	0.000	1.333	-3.000	3.000	1.333
	X	2596.276	2596.185	-3.000	3.000	-0.092
	Y	-264.852	-264.743	-3.000	3.000	0.109
	Z	909.560	908.234	-3.000	3.000	-1.326
PSUR229	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	1.169	-3.000	3.000	1.169
	X	2596.696	2596.590	-3.000	3.000	-0.106
	Y	-273.790	-273.790	-3.000	3.000	-0.000
	Z	909.409	908.244	-3.000	3.000	-1.164
PSUR230	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	1.096	-3.000	3.000	1.096
	X	2597.098	2596.999	-3.000	3.000	-0.100
	Y	-283.908	-283.908	-3.000	3.000	-0.000
	Z	909.372	908.281	-3.000	3.000	-1.091
PSUR231	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	0.707	-3.000	3.000	0.707
	X	2597.843	2597.778	-3.000	3.000	-0.065
	Y	-302.414	-302.414	-3.000	3.000	0.000
	Z	909.304	908.600	-3.000	3.000	-0.704
PSUR232	Pt. Surf. [L] sur Surface @144-1473.					
	V.G.	0.000	0.467	-3.000	3.000	0.467
	X	2598.607	2598.564	-3.000	3.000	-0.043
	Y	-321.724	-321.724	-3.000	3.000	0.000
	Z	909.233	908.768	-3.000	3.000	-0.465

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR233	Pt. Surf. [L] sur Surface @144-1161.					
	V.G.	0.000	0.134	-3.000	3.000	0.134
	X	2599.380	2599.368	-3.000	3.000	-0.012
	Y	-341.095	-341.095	-3.000	3.000	-0.000
	Z	909.162	909.028	-3.000	3.000	-0.134
PSUR234	Pt. Surf. [L] sur Surface @144-1161.					
	V.G.	0.000	0.110	-3.000	3.000	0.110
	X	2600.044	2600.034	-3.000	3.000	-0.010
	Y	-358.219	-358.219	-3.000	3.000	-0.000
	Z	909.099	908.990	-3.000	3.000	-0.110
PSUR235	Pt. Surf. [L] sur Surface @144-1161.					
	V.G.	0.000	0.062	-3.000	3.000	0.062
	X	2600.496	2600.490	-3.000	3.000	-0.006
	Y	-369.805	-369.805	-3.000	3.000	-0.000
	Z	909.057	908.995	-3.000	3.000	-0.062
PSUR236	Pt. Surf. [H] sur Surface @144-1161.					
	V.G.	0.000	-0.190	-3.000	3.000	-0.190
	X	2601.101	2601.119	-3.000	3.000	0.018
	Y	-385.002	-385.002	-3.000	3.000	0.000
	Z	909.000	909.189	-3.000	3.000	0.190
PSUR237	Pt. Surf. [H] sur Surface @144-1161.					
	V.G.	0.000	-0.122	-3.000	3.000	-0.122
	X	2601.456	2601.467	-3.000	3.000	0.012
	Y	-394.292	-394.292	-3.000	3.000	0.000
	Z	908.966	909.087	-3.000	3.000	0.122
PSUR238	Pt. Surf. [L] sur Surface @144-1161.					
	V.G.	0.000	0.774	-3.000	3.000	0.774
	X	2601.975	2601.901	-3.000	3.000	-0.074
	Y	-409.245	-409.245	-3.000	3.000	-0.000
	Z	908.916	908.146	-3.000	3.000	-0.771
PSUR239	Pt. Surf. [L] sur Surface @144-3975.					
	V.G.	0.000	0.827	-3.000	3.000	0.827
	X	2602.446	2602.506	-3.000	3.000	0.059
	Y	-420.463	-420.920	-3.000	3.000	-0.457
	Z	911.137	910.449	-3.000	3.000	-0.687
PSUR240	Pt. Surf. [L] sur Surface @144-1447.					
	V.G.	0.000	0.512	-3.000	3.000	0.512
	X	2617.801	2617.954	-3.000	3.000	0.153
	Y	-404.279	-404.299	-3.000	3.000	-0.020
	Z	908.693	908.204	-3.000	3.000	-0.488

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR241	Pt. Surf. [L] sur Surface @144-1447.					
	V.G.	0.000	0.622	-3.000	3.000	0.622
	X	2616.435	2616.512	-3.000	3.000	0.077
	Y	-390.243	-390.253	-3.000	3.000	-0.010
	Z	908.025	907.408	-3.000	3.000	-0.617
PSUR242	Pt. Surf. [L] sur Surface @144-1447.					
	V.G.	0.000	0.458	-3.000	3.000	0.458
	X	2616.065	2616.091	-3.000	3.000	0.026
	Y	-375.180	-375.184	-3.000	3.000	-0.003
	Z	907.822	907.364	-3.000	3.000	-0.458
PSUR243	Pt. Surf. [L] sur Surface @144-1447.					
	V.G.	0.000	0.196	-3.000	3.000	0.196
	X	2615.702	2615.705	-3.000	3.000	0.003
	Y	-362.328	-362.329	-3.000	3.000	-0.001
	Z	907.742	907.546	-3.000	3.000	-0.196
PSUR244	Pt. Surf. [H] sur Surface @144-1447.					
	V.G.	0.000	-0.212	-3.000	3.000	-0.212
	X	2615.416	2615.417	-3.000	3.000	0.001
	Y	-350.878	-350.878	-3.000	3.000	0.000
	Z	907.715	907.927	-3.000	3.000	0.212
PSUR245	Pt. Surf. [H] sur Surface @144-1967.					
	V.G.	0.000	-0.489	-3.000	3.000	-0.489
	X	2615.055	2615.064	-3.000	3.000	0.009
	Y	-339.850	-339.850	-3.000	3.000	-0.000
	Z	907.713	908.202	-3.000	3.000	0.489
PSUR246	Pt. Surf. [H] sur Surface @144-1967.					
	V.G.	0.000	-0.660	-3.000	3.000	-0.660
	X	2614.590	2614.612	-3.000	3.000	0.021
	Y	-326.846	-326.847	-3.000	3.000	-0.001
	Z	907.733	908.393	-3.000	3.000	0.660
PSUR247	Pt. Surf. [H] sur Surface @144-1967.					
	V.G.	0.000	-0.495	-3.000	3.000	-0.495
	X	2614.174	2614.193	-3.000	3.000	0.019
	Y	-316.410	-316.411	-3.000	3.000	-0.001
	Z	907.764	908.258	-3.000	3.000	0.495
PSUR248	Pt. Surf. [H] sur Surface @144-1967.					
	V.G.	0.000	-0.198	-3.000	3.000	-0.198
	X	2613.678	2613.686	-3.000	3.000	0.008
	Y	-304.441	-304.442	-3.000	3.000	-0.001
	Z	907.814	908.011	-3.000	3.000	0.198

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR249	Pt. Surf. [L] sur Surface @144-1967.					
	V.G.	0.000	0.123	-3.000	3.000	0.123
	X	2612.913	2612.908	-3.000	3.000	-0.005
	Y	-290.151	-290.150	-3.000	3.000	0.001
	Z	907.900	907.777	-3.000	3.000	-0.123
PSUR250	Pt. Surf. [L] sur Surface @144-3445.					
	V.G.	0.000	0.291	-3.000	3.000	0.291
	X	2610.150	2610.141	-3.000	3.000	-0.009
	Y	-268.076	-268.044	-3.000	3.000	0.032
	Z	908.318	908.029	-3.000	3.000	-0.289
PSUR251	Pt. Surf. [L] sur Surface @128-2377.					
	V.G.	0.000	-1.427	-3.000	3.000	-1.427
	X	2533.160	2533.378	-3.000	3.000	0.218
	Y	-396.404	-396.151	-3.000	3.000	0.253
	Z	1005.514	1004.126	-3.000	3.000	-1.388
PSUR252	Pt. Surf. [L] sur Surface @144-793.					
	V.G.	0.000	-0.517	-3.000	3.000	-0.517
	X	2533.295	2533.392	-3.000	3.000	0.097
	Y	-385.671	-385.629	-3.000	3.000	0.042
	Z	1006.810	1006.303	-3.000	3.000	-0.506
PSUR253	Pt. Surf. [L] sur Surface @144-793.					
	V.G.	0.000	-0.245	-3.000	3.000	-0.245
	X	2533.177	2533.230	-3.000	3.000	0.052
	Y	-376.453	-376.439	-3.000	3.000	0.015
	Z	1007.449	1007.209	-3.000	3.000	-0.239
PSUR254	Pt. Surf. [L] sur Surface @144-793.					
	V.G.	0.000	-0.214	-3.000	3.000	-0.214
	X	2532.855	2532.909	-3.000	3.000	0.054
	Y	-363.883	-363.875	-3.000	3.000	0.008
	Z	1007.986	1007.780	-3.000	3.000	-0.206
PSUR255	Pt. Surf. [H] sur Surface @144-793.					
	V.G.	0.000	0.310	-3.000	3.000	0.310
	X	2534.176	2534.118	-3.000	3.000	-0.058
	Y	-345.059	-345.061	-3.000	3.000	-0.002
	Z	1008.710	1009.014	-3.000	3.000	0.304
PSUR256	Pt. Surf. [H] sur Surface @144-2971.					
	V.G.	0.000	0.005	-3.000	3.000	0.005
	X	2533.695	2533.694	-3.000	3.000	-0.001
	Y	-334.551	-334.551	-3.000	3.000	0.000
	Z	1008.607	1008.612	-3.000	3.000	0.005

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR257	Pt. Surf. [L] sur Surface @144-2971.					
V.G.	0.000	-0.437	-3.000	3.000	-0.437	
X	2532.879	2532.990	-3.000	3.000	0.111	
Y	-318.783	-318.796	-3.000	3.000	-0.014	
Z	1008.085	1007.663	-3.000	3.000	-0.422	
PSUR258	Pt. Surf. [L] sur Surface @144-2971.					
V.G.	0.000	-1.246	-3.000	3.000	-1.246	
X	2531.820	2532.188	-3.000	3.000	0.367	
Y	-303.745	-303.814	-3.000	3.000	-0.069	
Z	1007.104	1005.915	-3.000	3.000	-1.189	
PSUR259	Pt. Surf. [L] sur Surface @128-3843.					
V.G.	0.000	-2.375	-3.000	3.000	-2.375	
X	2530.498	2531.302	-3.000	3.000	0.804	
Y	-289.583	-289.795	-3.000	3.000	-0.213	
Z	1005.627	1003.402	-3.000	3.000	-2.225	
PSUR260	Pt. Surf. [L] sur Surface @128-3843.					
V.G.	0.000	-3.570	-3.000	3.000	-3.570	-0.570
X	2528.800	2529.772	-3.000	3.000	0.972	
Y	-273.692	-274.840	-3.000	3.000	-1.147	
Z	1001.893	998.654	-3.000	3.000	-3.238	-0.238
PSUR261	Pt. Surf. [L] sur Surface @128-3843.					
V.G.	0.000	-3.739	-3.000	3.000	-3.739	-0.739
X	2528.520	2529.439	-3.000	3.000	0.918	
Y	-271.537	-272.940	-3.000	3.000	-1.402	
Z	1000.980	997.638	-3.000	3.000	-3.342	-0.342
PSUR262	Pt. Surf. [L] sur Surface @128-1415.					
V.G.	0.000	-5.727	-3.000	3.000	-5.727	-2.727
X	2521.125	2523.779	-3.000	3.000	2.653	
Y	-264.671	-267.008	-3.000	3.000	-2.337	
Z	994.569	990.063	-3.000	3.000	-4.505	-1.505
PSUR263	Pt. Surf. [I] sur Surface @144-4405.					
V.G.	0.000	21.949	-3.000	3.000	21.949	18.949
X	2526.891	2518.167	-3.000	3.000	-8.724	-5.724
Y	-280.493	-264.915	-3.000	3.000	15.578	12.578
Z	971.031	983.797	-3.000	3.000	12.766	9.766
PSUR264	Pt. Surf. [I] sur Surface @144-4405.					
V.G.	0.000	23.799	-3.000	3.000	23.799	20.799
X	2522.544	2512.412	-3.000	3.000	-10.132	-7.132
Y	-279.521	-258.988	-3.000	3.000	20.533	17.533
Z	964.777	971.268	-3.000	3.000	6.491	3.491

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR267	Pt. Surf. [O] sur Surface @144-1257.						
	V.G.	0.000	-10.698	-3.000	3.000	-10.698	-7.698
	X	2486.858	2487.699	-3.000	3.000	0.841	
	Y	-243.736	-254.362	-3.000	3.000	-10.626	-7.626
	Z	929.897	928.987	-3.000	3.000	-0.910	
PSUR268	Pt. Surf. [B] sur Surface @144-3063.						
	V.G.	0.000	-2.618	-3.000	3.000	-2.618	
	X	2481.605	2484.050	-3.000	3.000	2.445	
	Y	-250.440	-251.184	-3.000	3.000	-0.744	
	Z	909.614	909.047	-3.000	3.000	-0.568	
PSUR269	Pt. Surf. [H] sur Surface @144-3921.						
	V.G.	0.000	-1.402	-3.000	3.000	-1.402	
	X	2488.688	2489.173	-3.000	3.000	0.485	
	Y	-254.797	-255.212	-3.000	3.000	-0.415	
	Z	885.895	887.144	-3.000	3.000	1.249	
PSUR270	Pt. Surf. [H] sur Surface @144-1593.						
	V.G.	0.000	-4.161	-3.000	3.000	-4.161	-1.161
	X	2489.419	2490.656	-3.000	3.000	1.237	
	Y	-271.893	-272.524	-3.000	3.000	-0.631	
	Z	881.921	885.843	-3.000	3.000	3.922	0.922
PSUR271	Pt. Surf. [H] sur Surface @144-1593.						
	V.G.	0.000	-5.586	-3.000	3.000	-5.586	-2.586
	X	2489.519	2491.151	-3.000	3.000	1.633	
	Y	-288.543	-289.060	-3.000	3.000	-0.517	
	Z	879.782	885.099	-3.000	3.000	5.317	2.317
PSUR272	Pt. Surf. [H] sur Surface @144-1029.						
	V.G.	0.000	-6.158	-3.000	3.000	-6.158	-3.158
	X	2489.947	2491.662	-3.000	3.000	1.715	
	Y	-305.920	-306.237	-3.000	3.000	-0.317	
	Z	878.367	884.273	-3.000	3.000	5.906	2.906
PSUR273	Pt. Surf. [H] sur Surface @144-1029.						
	V.G.	0.000	-6.125	-3.000	3.000	-6.125	-3.125
	X	2490.624	2492.204	-3.000	3.000	1.580	
	Y	-324.584	-324.707	-3.000	3.000	-0.123	
	Z	877.500	883.417	-3.000	3.000	5.916	2.916
PSUR274	Pt. Surf. [H] sur Surface @144-363.						
	V.G.	0.000	-5.937	-3.000	3.000	-5.937	-2.937
	X	2491.430	2492.824	-3.000	3.000	1.394	
	Y	-343.797	-343.770	-3.000	3.000	0.027	
	Z	877.150	882.921	-3.000	3.000	5.771	2.771

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR275	Pt. Surf. [H] sur Surface @144-363.						
	V.G.	0.000	-5.463	-3.000	3.000	-5.463	-2.463
	X	2492.159	2493.331	-3.000	3.000	1.173	
	Y	-359.386	-359.241	-3.000	3.000	0.145	
	Z	877.224	882.557	-3.000	3.000	5.333	2.333
PSUR276	Pt. Surf. [H] sur Surface @144-363.						
	V.G.	0.000	-4.982	-3.000	3.000	-4.982	-1.982
	X	2492.828	2493.808	-3.000	3.000	0.980	
	Y	-372.809	-372.556	-3.000	3.000	0.253	
	Z	877.607	882.485	-3.000	3.000	4.878	1.878
PSUR277	Pt. Surf. [H] sur Surface @144-363.						
	V.G.	0.000	-4.327	-3.000	3.000	-4.327	-1.327
	X	2493.370	2494.160	-3.000	3.000	0.791	
	Y	-382.968	-382.650	-3.000	3.000	0.318	
	Z	878.142	882.384	-3.000	3.000	4.242	1.242
PSUR278	Pt. Surf. [H] sur Surface @144-3633.						
	V.G.	0.000	-3.241	-3.000	3.000	-3.241	-0.241
	X	2494.100	2494.634	-3.000	3.000	0.533	
	Y	-395.905	-395.547	-3.000	3.000	0.358	
	Z	879.215	882.391	-3.000	3.000	3.176	0.176
PSUR279	Pt. Surf. [H] sur Surface @144-3633.						
	V.G.	0.000	-1.735	-3.000	3.000	-1.735	
	X	2494.835	2495.090	-3.000	3.000	0.256	
	Y	-408.234	-407.959	-3.000	3.000	0.275	
	Z	880.775	882.469	-3.000	3.000	1.694	
PSUR280	Pt. Surf. [H] sur Surface @144-3633.						
	V.G.	0.000	-1.934	-3.000	3.000	-1.934	
	X	2490.684	2491.165	-3.000	3.000	0.481	
	Y	-417.892	-417.495	-3.000	3.000	0.397	
	Z	883.388	885.219	-3.000	3.000	1.831	
PSUR281	Pt. Surf. [B] sur Surface @128-551.						
	V.G.	0.000	-4.731	-3.000	3.000	-4.731	-1.731
	X	2481.084	2485.547	-3.000	3.000	4.463	1.463
	Y	-429.217	-427.973	-3.000	3.000	1.244	
	Z	907.744	906.786	-3.000	3.000	-0.958	
PSUR282	Pt. Surf. [B] sur Surface @144-3659.						
	V.G.	0.000	-7.667	-3.000	3.000	-7.667	-4.667
	X	2487.812	2495.086	-3.000	3.000	7.273	4.273
	Y	-425.188	-424.524	-3.000	3.000	0.664	
	Z	934.368	932.035	-3.000	3.000	-2.333	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR283	Pt. Surf. [B] sur Surface @144-3603.						
	V.G.	0.000	-11.551	-3.000	3.000	-11.551	-8.551
	X	2497.196	2507.725	-3.000	3.000	10.529	7.529
	Y	-424.400	-423.681	-3.000	3.000	0.719	
	Z	960.250	955.556	-3.000	3.000	-4.694	-1.694
PSUR284	Pt. Surf. [O] sur Surface @144-4197.						
	V.G.	0.000	18.082	-3.000	3.000	18.082	15.082
	X	2523.277	2514.830	-3.000	3.000	-8.446	-5.446
	Y	-400.069	-414.505	-3.000	3.000	-14.435	-11.435
	Z	966.834	973.708	-3.000	3.000	6.873	3.873
PSUR285	Pt. Surf. [L] sur Surface @128-2377.						
	V.G.	0.000	-6.731	-3.000	3.000	-6.731	-3.731
	X	2524.332	2527.221	-3.000	3.000	2.889	
	Y	-410.434	-408.222	-3.000	3.000	2.213	
	Z	998.541	992.879	-3.000	3.000	-5.662	-2.662
PSUR286	Pt. Surf. [L] sur Surface @128-2377.						
	V.G.	0.000	-2.088	-3.000	3.000	-2.088	
	X	2527.003	2528.140	-3.000	3.000	1.138	
	Y	-386.202	-386.091	-3.000	3.000	0.111	
	Z	1004.197	1002.450	-3.000	3.000	-1.747	
PSUR287	Pt. Surf. [B] sur Surface @144-1759.						
	V.G.	0.000	-3.428	-3.000	3.000	-3.428	-0.428
	X	2515.878	2518.571	-3.000	3.000	2.694	
	Y	-385.794	-385.793	-3.000	3.000	0.001	
	Z	992.957	990.837	-3.000	3.000	-2.120	
PSUR288	Pt. Surf. [B] sur Surface @144-3603.						
	V.G.	0.000	-3.857	-3.000	3.000	-3.857	-0.857
	X	2499.551	2503.106	-3.000	3.000	3.555	0.555
	Y	-386.789	-386.988	-3.000	3.000	-0.199	
	Z	964.253	962.770	-3.000	3.000	-1.483	
PSUR289	Pt. Surf. [B] sur Surface @144-3475.						
	V.G.	0.000	-3.164	-3.000	3.000	-3.164	-0.164
	X	2489.474	2492.476	-3.000	3.000	3.002	0.002
	Y	-387.691	-387.841	-3.000	3.000	-0.150	
	Z	936.584	935.594	-3.000	3.000	-0.990	
PSUR290	Pt. Surf. [B] sur Surface @144-3475.						
	V.G.	0.000	-3.106	-3.000	3.000	-3.106	-0.106
	X	2481.552	2484.553	-3.000	3.000	3.001	0.001
	Y	-388.450	-388.516	-3.000	3.000	-0.066	
	Z	910.579	909.781	-3.000	3.000	-0.798	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR291	Pt. Surf. [B] sur Surface @144-3475.					
	V.G.	0.000	-2.736	-3.000	3.000	-2.736
	X	2481.811	2484.442	-3.000	3.000	2.631
	Y	-368.680	-368.726	-3.000	3.000	-0.046
	Z	910.057	909.306	-3.000	3.000	-0.751
PSUR292	Pt. Surf. [B] sur Surface @144-3285.					
	V.G.	0.000	-0.611	-3.000	3.000	-0.611
	X	2483.035	2483.625	-3.000	3.000	0.590
	Y	-265.021	-265.014	-3.000	3.000	0.008
	Z	918.234	918.075	-3.000	3.000	-0.158
PSUR293	Pt. Surf. [B] sur Surface @144-3285.					
	V.G.	0.000	-1.287	-3.000	3.000	-1.287
	X	2489.541	2490.765	-3.000	3.000	1.224
	Y	-264.399	-264.382	-3.000	3.000	0.017
	Z	940.102	939.703	-3.000	3.000	-0.399
PSUR294	Pt. Surf. [B] sur Surface @144-3529.					
	V.G.	0.000	-3.802	-3.000	3.000	-3.802
	X	2497.396	2500.888	-3.000	3.000	3.492
	Y	-263.649	-263.698	-3.000	3.000	-0.049
	Z	961.427	959.923	-3.000	3.000	-1.504
PSUR295	Pt. Surf. [B] sur Surface @128-1415.					
	V.G.	0.000	-6.710	-3.000	3.000	-6.710
	X	2511.813	2516.679	-3.000	3.000	4.866
	Y	-261.507	-263.166	-3.000	3.000	-1.659
	Z	985.120	980.808	-3.000	3.000	-4.312
PSUR296	Pt. Surf. [L] sur Surface @144-3529.					
	V.G.	0.000	-4.143	-3.000	3.000	-4.143
	X	2519.082	2521.625	-3.000	3.000	2.543
	Y	-268.104	-268.620	-3.000	3.000	-0.516
	Z	992.445	989.216	-3.000	3.000	-3.229
PSUR297	Pt. Surf. [L] sur Surface @128-3843.					
	V.G.	0.000	-3.413	-3.000	3.000	-3.413
	X	2529.428	2530.197	-3.000	3.000	0.769
	Y	-273.043	-274.242	-3.000	3.000	-1.199
	Z	1001.824	998.722	-3.000	3.000	-3.102
PSUR299	Pt. Surf. [B] sur Surface @144-495.					
	V.G.	0.000	-2.492	-3.000	3.000	-2.492
	X	2513.030	2515.050	-3.000	3.000	2.020
	Y	-290.466	-290.455	-3.000	3.000	0.011
	Z	989.195	987.735	-3.000	3.000	-1.460

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR300	Pt. Surf. [B] sur Surface @144-495.					
	V.G.	0.000	-2.027	-3.000	3.000	-2.027
	X	2502.285	2504.117	-3.000	3.000	1.832
	Y	-291.208	-291.118	-3.000	3.000	0.089
	Z	970.672	969.810	-3.000	3.000	-0.862
PSUR301	Pt. Surf. [B] sur Surface @144-3285.					
	V.G.	0.000	-1.703	-3.000	3.000	-1.703
	X	2494.224	2495.832	-3.000	3.000	1.608
	Y	-291.844	-291.754	-3.000	3.000	0.089
	Z	950.628	950.073	-3.000	3.000	-0.555
PSUR302	Pt. Surf. [B] sur Surface @144-3285.					
	V.G.	0.000	-1.302	-3.000	3.000	-1.302
	X	2487.554	2488.792	-3.000	3.000	1.238
	Y	-292.426	-292.371	-3.000	3.000	0.055
	Z	930.661	930.264	-3.000	3.000	-0.397
PSUR303	Pt. Surf. [B] sur Surface @144-3285.					
	V.G.	0.000	-1.225	-3.000	3.000	-1.225
	X	2481.842	2483.024	-3.000	3.000	1.182
	Y	-292.973	-292.946	-3.000	3.000	0.027
	Z	911.539	911.218	-3.000	3.000	-0.321
PSUR304	Pt. Surf. [B] sur Surface @144-3285.					
	V.G.	0.000	-1.720	-3.000	3.000	-1.720
	X	2482.559	2484.205	-3.000	3.000	1.646
	Y	-320.807	-320.785	-3.000	3.000	0.023
	Z	912.090	911.594	-3.000	3.000	-0.497
PSUR305	Pt. Surf. [B] sur Surface @144-3475.					
	V.G.	0.000	-2.156	-3.000	3.000	-2.156
	X	2482.854	2484.913	-3.000	3.000	2.060
	Y	-346.324	-346.334	-3.000	3.000	-0.010
	Z	912.650	912.012	-3.000	3.000	-0.638
PSUR306	Pt. Surf. [B] sur Surface @144-3475.					
	V.G.	0.000	-2.807	-3.000	3.000	-2.807
	X	2482.562	2485.259	-3.000	3.000	2.698
	Y	-380.047	-380.113	-3.000	3.000	-0.067
	Z	913.513	912.738	-3.000	3.000	-0.775
PSUR307	Pt. Surf. [B] sur Surface @144-3475.					
	V.G.	0.000	-3.296	-3.000	3.000	-3.296
	X	2482.072	2485.263	-3.000	3.000	3.191
	Y	-409.566	-409.619	-3.000	3.000	-0.053
	Z	914.261	913.438	-3.000	3.000	-0.823

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR308	Pt. Surf. [B] sur Surface @144-3603.						
	V.G.	0.000	-4.422	-3.000	3.000	-4.422	-1.422
	X	2491.981	2496.160	-3.000	3.000	4.179	1.179
	Y	-408.571	-408.699	-3.000	3.000	-0.129	
	Z	946.915	945.475	-3.000	3.000	-1.440	
PSUR309	Pt. Surf. [B] sur Surface @144-3603.						
	V.G.	0.000	-3.410	-3.000	3.000	-3.410	-0.410
	X	2492.684	2495.901	-3.000	3.000	3.217	0.217
	Y	-388.372	-388.552	-3.000	3.000	-0.180	
	Z	946.199	945.084	-3.000	3.000	-1.115	
PSUR310	Pt. Surf. [B] sur Surface @144-3603.						
	V.G.	0.000	-3.257	-3.000	3.000	-3.257	-0.257
	X	2493.602	2496.666	-3.000	3.000	3.065	0.065
	Y	-366.835	-366.973	-3.000	3.000	-0.137	
	Z	945.567	944.474	-3.000	3.000	-1.093	
PSUR311	Pt. Surf. [B] sur Surface @144-1759.						
	V.G.	0.000	-5.291	-3.000	3.000	-5.291	-2.291
	X	2504.097	2508.764	-3.000	3.000	4.667	1.667
	Y	-398.488	-398.607	-3.000	3.000	-0.118	
	Z	975.045	972.554	-3.000	3.000	-2.491	
PSUR312	Pt. Surf. [B] sur Surface @144-1759.						
	V.G.	0.000	-3.574	-3.000	3.000	-3.574	-0.574
	X	2504.555	2507.774	-3.000	3.000	3.219	0.219
	Y	-372.730	-372.881	-3.000	3.000	-0.150	
	Z	973.779	972.233	-3.000	3.000	-1.546	
PSUR313	Pt. Surf. [B] sur Surface @144-1759.						
	V.G.	0.000	-3.200	-3.000	3.000	-3.200	-0.200
	X	2504.982	2507.886	-3.000	3.000	2.904	
	Y	-353.762	-353.835	-3.000	3.000	-0.073	
	Z	973.168	971.827	-3.000	3.000	-1.341	
PSUR314	Pt. Surf. [B] sur Surface @144-495.						
	V.G.	0.000	-2.828	-3.000	3.000	-2.828	
	X	2504.746	2507.318	-3.000	3.000	2.572	
	Y	-328.470	-328.415	-3.000	3.000	0.055	
	Z	972.541	971.368	-3.000	3.000	-1.173	
PSUR315	Pt. Surf. [B] sur Surface @144-495.						
	V.G.	0.000	-2.507	-3.000	3.000	-2.507	
	X	2503.925	2506.197	-3.000	3.000	2.272	
	Y	-309.897	-309.792	-3.000	3.000	0.105	
	Z	972.186	971.132	-3.000	3.000	-1.054	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE	
PSUR316	Pt. Surf. [B] sur Surface @144-495.						
	V.G.	0.000	-2.291	-3.000	3.000	-2.291	
	X	2516.550	2518.378	-3.000	3.000	1.829	
	Y	-309.035	-309.012	-3.000	3.000	0.022	
	Z	993.682	992.302	-3.000	3.000	-1.380	
PSUR317	Pt. Surf. [B] sur Surface @144-495.						
	V.G.	0.000	-2.427	-3.000	3.000	-2.427	
	X	2517.302	2519.267	-3.000	3.000	1.965	
	Y	-337.814	-337.812	-3.000	3.000	0.003	
	Z	994.354	992.929	-3.000	3.000	-1.425	
PSUR318	Pt. Surf. [B] sur Surface @144-1759.						
	V.G.	0.000	-2.648	-3.000	3.000	-2.648	
	X	2517.646	2519.735	-3.000	3.000	2.089	
	Y	-369.343	-369.362	-3.000	3.000	-0.019	
	Z	995.089	993.461	-3.000	3.000	-1.628	
PSUR319	Pt. Surf. [B] sur Surface @144-1759.						
	V.G.	0.000	-4.036	-3.000	3.000	-4.036	-1.036
	X	2518.756	2521.751	-3.000	3.000	2.995	
	Y	-393.212	-393.107	-3.000	3.000	0.105	
	Z	996.231	993.528	-3.000	3.000	-2.703	
PSUR320	Pt. Surf. [L] sur Surface @144-1321.						
	V.G.	0.000	-11.208	-3.000	3.000	-11.208	-8.208
	X	2523.534	2523.341	-3.000	3.000	-0.193	
	Y	-407.406	-402.508	-3.000	3.000	4.899	1.899
	Z	1002.887	992.808	-3.000	3.000	-10.079	-7.079
PSUR321	Pt. Surf. [B] sur Surface @144-3529.						
	V.G.	0.000	-2.850	-3.000	3.000	-2.850	
	X	2500.334	2502.984	-3.000	3.000	2.650	
	Y	-333.322	-333.285	-3.000	3.000	0.037	
	Z	961.877	960.828	-3.000	3.000	-1.048	
PSUR322	Pt. Surf. [O] sur Surface @144-2419.						
	V.G.	0.000	-1.022	-3.000	3.000	-1.022	
	X	2535.871	2535.782	-3.000	3.000	-0.089	
	Y	-258.840	-259.632	-3.000	3.000	-0.793	
	Z	991.082	990.443	-3.000	3.000	-0.640	
PSUR323	Pt. Surf. [O] sur Surface @144-2419.						
	V.G.	0.000	-3.242	-3.000	3.000	-3.242	-0.242
	X	2528.666	2528.519	-3.000	3.000	-0.147	
	Y	-252.064	-255.039	-3.000	3.000	-2.975	
	Z	980.686	979.404	-3.000	3.000	-1.282	

Référence pièce :
Date :

HR B12L OUTER VINYL BLACK
19-11-2014 13:01:38

REFER.	NOMINAL	MESURE	TOL-	TOL+	ECART	TENDANCE
PSUR324	Pt. Surf. [O] sur Surface @144-3063.					
V.G.	0.000	-3.658	-3.000	3.000	-3.658	-0.658
X	2504.298	2504.407	-3.000	3.000	0.109	
Y	-243.419	-247.060	-3.000	3.000	-3.641	-0.641
Z	937.101	936.768	-3.000	3.000	-0.333	